



Wholesaler of Natural Oils, Extracts and Essential oils for the Cosmetic and Food Industry.



Carrier Oils & Oleins



Essential Oils




Butters




Floral Hydrolats & Water Extracts



Plant Extracts




Seeds, Scrubs, Dried Plants & Seaweed



Waxes, Resins & Clays



Absolutes & Oleoresins



Others





"Nature is not a place to visit. It is home"

Gary Sherman Snyder

Index



P4

Carrier Oils
& Oleins



P5

Carrier Oils

P11

Oleins



P13

Essential Oils



P20

Butters



P24

Floral Hydrolats &
Water Extracts



P25

Floral Hydrolats

P28

Water Extracts




P31

Plant Extracts



P45

Seeds, Scrubs,
Dried Plants & Seaweed



P46

Seeds & Scrubs


P49

Dried Plants & Seaweed



P58

Waxes, Resins
& Clays



P59

Waxes


P61

Resins & Clays



P63

Absolutes &
Oleo-resins



P64

Absolutes

P67

Oleo-resins




P69

Others



CARRIER OILS & OLEINS

Vegetable oils and Oleins of the highest purity and quality, from those parts of the planet where they are produce.





CARRIER OILS

100% Pure, natural and organic vegetable oils. Obtained from seeds and plants by cold pressing. Rich in polyunsaturated acids, they are the basis for a multitude of cosmetic, food, pharmaceutical and industrial applications.



We offer the cosmetic, food and pharmaceutical industry the experience **to innovate in their formulations by accessing new and exotic raw materials,** together with traditional ingredients.























































































































Obtained from the extrusion of seeds and plants, they are highly appreciated in cosmetics and food.

They are 100% pure oils, of vegetable origin, obtained from seeds and other parts of plants in whose tissues they accumulate as a source of energy. With an oily texture, they are rich in vitamins A, B and E, minerals and polyunsaturated fatty acids. Vegetable oils are generally obtained by cold pressing by mechanical means.

Vegetable oils are highly valued in cosmetics for their nourishing and emollient properties that protect the skin, keeping it healthy and helping it to recover its elasticity and delay ageing. They are also used as carrier oils in the application of essential oils.

In food, vegetable oils are an essential part of many everyday food preparations and products. They contain essential nutrients found in natural foods. If consumed correctly and in moderation, they can contribute to cardiovascular health.



| TRADENAME | BOTANICAL NAME |  ORGANIC VIRGIN |  CONVENTIONAL VIRGIN |  ORGANIC REFINED (DEODORISED) |  CONVENTIONAL REFINED (DEODORISED) |
|---------------------------|--|--|---|--|---|
| Abyssinian | (<i>Crambe abyssinica</i>) | | | |  |
| Acacia Senegal | (<i>Acacia Senegal</i>) | | |  |  |
| Acai | (<i>Euterpe oleracea</i>) |  |  |  |  |
| Almond | (<i>Prunus amygdalus dulcis</i>) |  |  |  |  |
| Amaranth | (<i>Amaranthus caudatus</i>) |  |  | | |
| Andiroba | (<i>Carapa guianensis</i>) |  |  |  |  |
| Anise | (<i>Pimpinella anisum</i>) | |  | | |
| Annatto | (<i>Bixa orellana</i>) |  |  | | |
| Apple | (<i>Pyrus malus</i>) |  |  |  |  |
| Apricot | (<i>Prunus armeniaca</i>) |  |  |  |  |
| Argan | (<i>Argania espinosa</i>) |  |  |  |  |
| Aronia | (<i>Aronia melanocarpa</i>) | |  | | |
| Avocado | (<i>Persea gratissima</i>) |  |  |  |  |
| Babassu | (<i>Orbignya oleifera</i>) |  |  |  |  |
| Bacuri | (<i>Platonia insignis</i>) | |  | | |
| Baobab | (<i>Adansonia digitata</i>) |  |  |  |  |
| Basil | (<i>Ocimum basilicum</i>) | |  | | |
| Bearberry | (<i>Arctostaphylos uva ursi</i>) | | |  |  |
| Bilberry | (<i>Vaccinium myrtillus</i>) |  |  | | |
| Black cumin | (<i>Nigella sativa</i>) |  |  |  |  |
| Black walnut | (<i>Juglans Nigra</i>) | | |  |  |
| Blackberry | (<i>Rubus fruticosus</i>) |  |  | | |
| Blackcurrant | (<i>Ribes nigrum</i>) |  |  |  |  |
| Blueberry | (<i>Vaccinium corymbosum</i>) |  |  |  |  |
| Borage | (<i>Borago officinalis</i>) |  |  |  |  |
| Brazil nut | (<i>Bertholletia excelsa</i>) |  |  |  |  |
| Broccoli | (<i>Brassica oleracea italica</i>) |  |  | | |
| Buckwheat | (<i>Fagopyrum esculentum</i>) | | |  |  |
| Buriti | (<i>Mauritia flexuosa</i>) |  |  |  |  |
| Cacay | (<i>Caryodendron orinocense</i>) |  |  |  |  |
| Camelina | <i>Camelina sativa</i> |  |  |  |  |
| Camellia | (<i>Camellia oleifera, C. sinensis, C. kissi, C. japonica</i>) |  |  |  |  |
| Campomanesia lineatifolia | (<i>Campomanesia lineatifolia</i>) | |  | | |
| Canola | (<i>Brassica campestris</i>) |  |  |  |  |
| Cantaloupe Melon | (<i>Cucumis melo</i>) | | |  |  |
| Cardamom | (<i>Elettaria cardamomum</i>) |  |  | | |
| Carrot | (<i>Daucus carota</i>) |  |  |  |  |
| Cashew | (<i>Anacardium occidentale</i>) | | | |  |
| Castor | (<i>Ricinus communis</i>) |  |  | |  |












































































































ASK FOR OUR
FOOD GRADE
RAW MATERIALS
























































































































| TRADENAME | BOTANICAL NAME | ORGANIC VIRGIN | CONVENTIONAL VIRGIN | ORGANIC REFINED (DEODORISED) | CONVENTIONAL REFINED (DEODORISED) |
|--------------------|--|----------------|---------------------|------------------------------|-----------------------------------|
| Cedar nut | <i>(Pinus sibirica)</i> | | | | |
| Celery | <i>(Apium graveolens)</i> | | | | |
| Chaulmoogra | <i>(Hydnocarpus wightianus, Taraktogenos Kurzii)</i> | | | | |
| Cherry | <i>(Prunus avium, P. cerasus)</i> | | | | |
| Chestnut | <i>(Castanea sativa)</i> | | | | |
| Chia | <i>(Salvia hispanica)</i> | | | | |
| Chilli | <i>(Capsicum frutescens)</i> | | | | |
| Chufa | <i>(Cyperus esculentus)</i> | | | | |
| Clementina | <i>(Citrus clementina)</i> | | | | |
| Cloudberry | <i>(Rubus chamaemorus)</i> | | | | |
| Coconut | <i>(Cocos nucifera)</i> | | | | |
| Coffee bean | <i>(Coffea arabica)</i> | | | | |
| Coriander | <i>(Coriandrum sativum)</i> | | | | |
| Corn germ | <i>(Zea mays)</i> | | | | |
| Cotton | <i>(Gossypium herbaceum)</i> | | | | |
| Cranberry | <i>(Vaccinium macrocarpon)</i> | | | | |
| Crowberry | <i>(Empetrum nigrum)</i> | | | | |
| Cucumber | <i>(Cucumis sativus)</i> | | | | |
| Cumin | <i>(Cuminum cyminum)</i> | | | | |
| Dessert Date | <i>(Balanites aegyptiaca)</i> | | | | |
| Dragon fruit | <i>(Hylocereus undatus)</i> | | | | |
| Echium | <i>(Echium plantagineum)</i> | | | | |
| Elderberry | <i>(Sambucus nigra)</i> | | | | |
| Evening primrose | <i>(Oenothera biennis)</i> | | | | |
| Fig | <i>(Ficus carica)</i> | | | | |
| Flax | <i>(Linum usitatissimum)</i> | | | | |
| Gooseberry | <i>(Ribes uva-crispa)</i> | | | | |
| Grapefruit - pink | <i>(Citrus paradisi)</i> | | | | |
| Grapefruit - white | <i>(Citrus paradisi)</i> | | | | |
| Grapeseed | <i>(Vitis vinifera)</i> | | | | |
| Green tea | <i>(Camellia sinensis)</i> | | | | |
| Groundnut | <i>(Cyperus esculentus)</i> | | | | |
| Guava | <i>(Psidium guayava)</i> | | | | |
| Hazelnut | <i>(Corylus avellana)</i> | | | | |
| Hemp | <i>(Cannabis sativa)</i> | | | | |
| Jajoba | <i>(Simmondsia chinensis)</i> | | | | |
| Kakadu | <i>(Terminalia ferdinandiana)</i> | | | | |
| Kalahari melon | <i>(Citrullus lanatus)</i> | | | | |
| Karanja | <i>(Milletta pinnata, pongamia glabra)</i> | | | | |



| TRADENAME | BOTANICAL NAME |  ORGANIC VIRGIN |  CONVENTIONAL VIRGIN |  ORGANIC REFINED (DEODORISED) |  CONVENTIONAL REFINED (DEODORISED) |
|------------------------|--|--|---|--|---|
| Kiwi | (<i>Actinidia chinensis</i>) | |  |  |  |
| Kukui | (<i>Aleurites moluccana</i>) |  |  |  |  |
| Laurel | (<i>Laurus nobilis</i>) | |  | | |
| Lemon | (<i>Citrus limonum</i>) | | |  |  |
| Lime | (<i>Citrus aurantifolia</i>) | | |  |  |
| Linseed | (<i>Linum usitatissimum</i>) |  |  | | |
| Luffa Cylindrica | (<i>Luffa aegyptiaca</i>) | | |  |  |
| Maca | (<i>Lepidium meyenii</i>) | |  | | |
| Macadamia | (<i>Macadamia ternifolia, M. integrifolia</i>) |  |  |  |  |
| Mafura | (<i>Trichilia emetica</i>) |  |  |  |  |
| Mangosteen | (<i>Garcinia mangostana</i>) | | |  |  |
| Marula | (<i>Sclerocarya birrea</i>) |  |  |  |  |
| Meadowfoam | (<i>Limnanthes alba</i>) | | |  |  |
| Melissa | (<i>Melissa officinalis</i>) |  |  | | |
| Milk Thistle | (<i>Silybum marianum</i>) |  |  |  |  |
| Millet | (<i>Panicum miliaceum</i>) |  |  | | |
| Mongongo - Manketti | (<i>Schinziophyton rautaneii</i>) |  |  |  |  |
| Moringa | (<i>Moringa oleifera</i>) |  |  |  |  |
| Mustard | (<i>Sinapis alba</i>) |  |  | | |
| Myrrh | (<i>Commiphora myrrha</i>) | | | | |
| Neem | (<i>Azadirachta indica</i>) |  |  | | |
| Neem high azadirachtin | (<i>Azadirachta indica</i>) |  |  | | |
| Noni | (<i>Morinda citrifolia</i>) |  |  | | |
| Oak | (<i>Quercus robur</i>) | | |  |  |
| Oat | (<i>Avena sativa</i>) |  |  |  |  |
| Olive | (<i>Olea europaea</i>) |  |  |  |  |
| Onion | (<i>Allium Cepa</i>) | |  | | |
| Orange | (<i>Citrus sinensis</i>) | | |  |  |
| Palm | (<i>Elaeis guineensis</i>) |  |  |  |  |
| Papaya | (<i>Carica papaya</i>) |  |  |  |  |
| Paprika hot | (<i>Capsicum annuum</i>) | |  | | |
| Paprika sweet | (<i>Capsicum annuum</i>) |  |  | | |
| Parsley | (<i>Carum Petroselinum</i>) | |  | | |
| Passion Fruit | (<i>Passiflora edulis</i>) |  |  |  |  |
| Peach | (<i>Prunus persica</i>) |  |  |  |  |
| Peanut | (<i>Arachis hypogaea</i>) |  |  |  |  |
| Pear | (<i>Pyrus communis</i>) | | |  |  |
| Pecan | (<i>Carya illinoensis</i>) | | |  |  |
| Pequi | (<i>Caryocar brasiliense</i>) | |  |  |  |







| TRADENAME | BOTANICAL NAME |  ORGANIC VIRGIN |  CONVENTIONAL VIRGIN |  ORGANIC REFINED (DEODORISED) |  CONVENTIONAL REFINED (DEODORISED) |
|------------------|--|--|---|--|---|
| Perilla | <i>(Perilla frutescens)</i> |  |  |  |  |
| Pistachio | <i>(Pistacia vera)</i> |  |  |  |  |
| Plum | <i>(Prunus domestica)</i> |  |  | | |
| Pomace olive oil | <i>(Olea europaea)</i> | |  | | |
| Pomegranate | <i>(Punica granatum)</i> |  |  |  |  |
| Poppy | <i>(Papaver somniferum, P. rhoeas)</i> |  |  |  |  |
| Pracaxi | <i>(Pentaclethra macroloba)</i> | |  | | |
| Prickly pear | <i>(Opuntia ficus indica)</i> |  |  | | |
| Pumpkin | <i>(Cucurbita pepo)</i> |  |  |  |  |
| Quince | <i>(Chaenomeles Japonica)</i> | |  | | |
| Quinoa | <i>(Chenopodium quinoa)</i> |  |  |  |  |
| Radish | <i>(Raphanus Sativus)</i> | |  | | |
| Rape | <i>(Brassica napus)</i> |  |  |  |  |
| Raspberry | <i>(Rubus idaeus)</i> |  |  |  |  |
| Red currant | <i>(Ribes rubrum)</i> |  |  | | |
| Red palm | <i>(Cyrtostachys renda)</i> | | |  |  |
| Reishi | <i>(Ganoderma lucidum)</i> |  |  | | |
| Rice bran | <i>(Oryza sativa)</i> |  |  |  |  |
| Rosehip | <i>(Rosa canina, R. moschata, R. rubiginosa)</i> |  |  |  |  |
| Rowanberry | <i>(Sorbus aucuparia)</i> | | |  |  |
| Sacha Inchi | <i>(Plukenetia volubilis)</i> |  |  |  |  |
| Safflower | <i>(Carthamus tinctorius)</i> |  |  |  |  |
| Sapote | <i>(Pouteria sapota)</i> | | |  |  |
| Seabuckthorn | <i>(Hippophae rhamnoides)</i> |  |  |  |  |
| Sesame | <i>(Sesamum indicum)</i> |  |  |  |  |
| Shea | <i>(Butyrospermum Parkii)</i> |  |  |  |  |
| Siberian Pine | <i>(Abies sibirica)</i> |  |  | | |
| Soursop | <i>(Annona muricata)</i> | |  | | |
| Soybean | <i>(Glycine soja)</i> |  |  |  |  |
| Spinach | <i>(Spinacia Oleracea)</i> | |  | | |
| Strawberry | <i>(Fragaria vesca)</i> |  |  |  |  |
| Sunflower | <i>(Helianthus annuus)</i> |  |  |  |  |
| Tamanu | <i>(Calophyllum inophyllum)</i> |  |  | | |
| Tamarind | <i>(Tamarindus indica)</i> | | |  |  |
| Thistle | <i>(Silybum marianum)</i> |  |  | | |
| Tobacco | <i>(Nicotiana tabacum)</i> | | |  |  |
| Tomato | <i>(Solanum lycopersicum)</i> |  |  |  |  |
| Trichilia | <i>(Trichilia emetica)</i> | |  | | |
| Tsubaki | <i>(Camellia japonica)</i> |  |  |  |  |



ASK FOR OUR FOOD GRADE RAW MATERIALS

 ORGANIC VIRGIN  CONVENTIONAL VIRGIN  ORGANIC REFINED (DEODORISED)  CONVENTIONAL REFINED (DEODORISED)



| TRADENAME | BOTANICAL NAME |  ORGANIC VIRGIN |  CONVENTIONAL VIRGIN |  ORGANIC REFINED (DEODORISED) |  CONVENTIONAL REFINED (DEODORISED) |
|------------|----------------------------------|--|---|--|---|
| Tucuma | (<i>Astrocaryum aculeatum</i>) | |  | | |
| Tung | (<i>Vernicia fordii</i>) | |  | | |
| Ungurahui | (<i>Oenocarpus bataua</i>) |  |  |  |  |
| Walnut | (<i>Juglans regia</i>) |  |  |  |  |
| Watermelon | (<i>Citrullus vulgaris</i>) |  |  |  |  |
| Wheat germ | (<i>Triticum vulgare</i>) |  |  |  |  |
| Ximenia | (<i>Ximenia americana</i>) |  |  |  |  |
| Yangu | (<i>Calodendrum Capense</i>) |  |  |  |  |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



OLEINS

Oleins of the highest purity and quality, from those parts of the planet where they are produced.



With a fine and intense aroma, it is extracted by washing the plants in hexane or alcohol

The oleins are obtained from very fragile plants that cannot be subjected to the usual process of distillation with heat in an alembic from which the essential oil is obtained, so the ore is macerated in certain solvents that are subsequently eliminated through the distillation to finally obtain the absolute. This is a different method of obtaining the aromatic principle of the plant, which is known as "extraction".

We offer, to the cosmetic industry, the experience of **innovating in their formulations through access to new and exotic raw materials**, together with traditional ingredients.



This extraction is carried out by washing the aromatic material of the plant with hexane or alcohol, thus obtaining its aromatic principle. The result is an absolute with an extremely non-aroma, intense and round, optimal for its application as a perfume or in essences diffusers. The differences with respect to essential oils subjected to the heat of distillation and biochemical transformation, are mainly that, in the absolute, their aroma is more intense and immediate than those of conventional essential oils and that their use is essentially odoriferous, as opposed to the nourishing and moisturizing properties in the areas of application of essential oils.



| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|---------------|-------------------------------|---------|--------------|
| Cocoa olein | <i>(Theobroma cacao)</i> | | |
| Coconut olein | <i>(Cocos nucifera)</i> | | |
| Shea olein | <i>(Butyrospermum Parkii)</i> | | |
| Mango olein | <i>(Mangifera indica)</i> | | |
| Palm olein | <i>(Elaeis guineensis)</i> | | |
| Sal olein | <i>(Shorea Robusta)</i> | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



ESSENTIAL OILS

Essential oils of vegetable origin 100% pure, natural and organic.

Obtained by steam distillation. Volatile and light, they stand out for their aromatic intensity and are widely used in cosmetics, perfumery, pharmacy, food, liquor and confectionery.



Obtained by steam distillation, easily absorbed by the skin and with a penetrating aroma.

They are oils of natural origin that form the odoriferous essences of a large number of flowers, fruits, leaves, roots, seeds and bark of vegetables.

They are obtained by steam distillation. The essential oils obtained are responsible for transmitting the natural properties from which they come, by means of applications and treatments.

The ease of absorption of these oils through the skin, as well as the penetrating aroma they give off, allows the active components to penetrate directly into the body, facilitating the beneficial effects on our organism. Some essential oils have calming and relaxing effects, while others are stimulating and invigorating.

Although their most notable properties are to moisturise and nourish the areas where they are applied, essential oils are highly appreciated for the beneficial effects they produce on the body and soul thanks to their pleasant fragrances, giving rise to a therapeutic trend of their own, aromatherapy.

Their uses can be diverse as well as their applications, since essential and pure oils have the versatility to be integrated with other ingredients that result in creams, balms or ointments without losing their natural properties.

In food they are widely used as flavourings and natural flavourings, given their intensity and variety.

We offer the cosmetic, food and pharmaceutical industries **the experience to innovate in their formulations through access to new and exotic raw materials,** together with traditional ingredients.





| TRADE NAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|------------------|--|---------|--------------|
| Agarwood | (<i>Aquilaria agallocha</i> , <i>A. crassna</i>) | | |
| Ajowan | (<i>Trachyspermum ammi</i>) | | |
| Allspice | (<i>Pimenta officinalis</i> , <i>P. dioica</i>) | | |
| Ambrette | (<i>Abelmoschus moschatus</i>) | | |
| Amyris | (<i>Amyris balsamifera</i>) | | |
| Angelica | (<i>Angelica archangelica</i>) | | |
| Anise | (<i>Pimpinella anisum</i>) | | |
| Apricot | (<i>Prunus armeniaca</i>) | | |
| Armoise | (<i>Artemisia herba-alba</i>) | | |
| Asafoetida | (<i>Ferula assafoetida</i>) | | |
| Atlas cedar | (<i>Cedrus atlantica</i>) | | |
| Balsam Fir | (<i>Abies balsamea</i>) | | |
| Baronia | (<i>Rhus taratana</i>) | | |
| Basil | (<i>Ocimum basilicum</i>) | | |
| Bay Saint Thomas | (<i>Pimenta racemosa</i>) | | |
| Bee Balm | (<i>Monarda fistulosa</i>) | | |
| Benzoin | (<i>Styrax benzoin</i> , <i>S. tonkinensis</i>) | | |
| Bergamot | (<i>Citrus bergamia</i>) | | |
| Betel | (<i>Piper betle</i>) | | |
| Birch | (<i>Betula alba</i>) | | |
| Birch sweet | (<i>Betula lenta</i>) | | |
| Black pepper | (<i>Piper nigrum</i>) | | |
| Black spruce | (<i>Picea mariana</i>) | | |
| Blue cypress | (<i>Callitris intratropica</i>) | | |
| Boronia | (<i>Boronia megastigma</i>) | | |
| Buchu | (<i>Barosma betulina</i>) | | |
| Cabreuva | (<i>Myrocarpus fastigiatus</i>) | | |
| Cajeput | (<i>Melaleuca leucadendron</i>) | | |
| Calamus | (<i>Acorus calamus</i>) | | |
| Camphor | (<i>Cinnamomum camphora</i>) | | |
| Caraway | (<i>Carum carvi</i>) | | |
| Cardamom | (<i>Elettaria cardamomum</i>) | | |
| Carrot | (<i>Daucus carota</i>) | | |
| Catnip | (<i>Nepeta cataria</i>) | | |
| Cedar | (<i>Thuja occidentalis</i>) | | |
| Celery | (<i>Apium graveolens</i>) | | |
| Chamomile | (<i>Chamomilla recutita</i> , <i>Ormenis mixta</i> , <i>Chamaemelum nobile</i> , <i>Santolina chamaecyparissus</i> , <i>Anthemis nobilis</i>) | | |
| Chilli | (<i>Capsicum frutescens</i>) | | |



| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|-----------------------|---|---------|--------------|
| Cinnamon Bark | (<i>Cinnamomum zeylanicum, C. cassia</i>) | | |
| Cinnamon Leaf | (<i>Cinnamomum zeylanicum, C. cassia</i>) | | |
| Cinnamon Tree | (<i>Cinnamomum verum</i>) | | |
| Citronella | (<i>Cymbopogon nardus</i>) | | |
| Citronella Java | (<i>Cymbopogon winterianus</i>) | | |
| Citronella Madagascar | (<i>Cymbopogon giganteus</i>) | | |
| Clementine | (<i>Citrus clementina</i>) | | |
| Clove | (<i>Syzygium aromaticum, Eugenia caryophyllus</i>) | | |
| Clove Basil | (<i>Ocimum gratissimum</i>) | | |
| Combava | (<i>Citrus hystrix</i>) | | |
| Copaiba | (<i>Copaifera officinalis</i>) | | |
| Coriander | (<i>Coriandrum sativum</i>) | | |
| Cumin | (<i>Cuminum cyminum</i>) | | |
| Cypress | (<i>Cupressus sempervirens</i>) | | |
| Davana | (<i>Artemisia pallens</i>) | | |
| Dill | (<i>Anethum graveolens</i>) | | |
| Douglas Fir | (<i>Pseudotsuga menziesii</i>) | | |
| Dwarf Mountain Pine | (<i>Pinus mugo pumilio</i>) | | |
| Dwarf Rhododendron | (<i>Rhododendron anthopogon</i>) | | |
| Eastern redcedar | (<i>Juniperus virginiana</i>) | | |
| Elemi | (<i>Canarium luzonicum</i>) | | |
| Eucalyptus | (<i>Eucalyptus citriodora, E. globulus, E. dives, E. polybractea, E. radiata, E. smithii, E. staigeriana</i>) | | |
| Fennel | (<i>Foeniculum officinale</i>) | | |
| Fennel | (<i>Foeniculum vulgare</i>) | | |
| Fokienia | (<i>Fokienia hodginsii</i>) | | |
| Fragonia | (<i>Agonis fragrans</i>) | | |
| Frangipani | (<i>Plumeria alba</i>) | | |
| Galbanum | (<i>Ferula galbaniflua</i>) | | |
| Gardenia | (<i>Gardenia jasminoides</i>) | | |
| Garlic | (<i>Allium sativum</i>) | | |
| Geranium | (<i>Pelargonium graveolens</i>) | | |
| Ginger | (<i>Zingiber officinalis</i>) | | |
| Golden rod | (<i>Solidago canadensis</i>) | | |
| Grapefruit - pink | (<i>Citrus paradisi</i>) | | |
| Grapefruit - white | (<i>Citrus paradisi</i>) | | |
| Grapefruit | (<i>Citrus grandis</i>) | | |
| Gurjum basalm | (<i>Dipterocarpus</i>) | | |
| Havozo | (<i>Ravensara anisata</i>) | | |



| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|----------------------|---|---------|--------------|
| Helichrysum | (<i>Helichrysum bracteiferum</i> , <i>H. gymnocephalum</i>) | | |
| Helichrysum italicum | (<i>Helichrysum italicum</i>) | | |
| Hemlock | (<i>Tsuga canadensis</i>) | | |
| Himalaya cedar | (<i>Cedrus deodara</i>) | | |
| Hinoki | (<i>Chamaecyparis obtusa</i>) | | |
| Ho wood | (<i>Cinnamomum camphora</i> var. <i>linaloolifera</i>) | | |
| Hoary Rock-Rose | (<i>Cistus creticus</i>) | | |
| Hyssop | (<i>Hyssopus officinalis</i>) | | |
| Incense | (<i>Boswellia carterii</i> , <i>B. Serrata</i>) | | |
| Iris | (<i>Iris germanica</i>) | | |
| Jasmine | (<i>Jasminum grandiflorum</i>) | | |
| Jasmine | (<i>Jasminum officinalis</i>) | | |
| Jasmine sambac | (<i>Jasminum sambac</i>) | | |
| Jatamansi | (<i>Nardostachys jatamansi</i>) | | |
| Juniper berry | (<i>Juniperus communis</i>) | | |
| Kanuka | (<i>Kunzea ericoides</i>) | | |
| Katrafay | (<i>Cedrelopsis grevei</i>) | | |
| Khella | (<i>Ammi visnaga</i>) | | |
| Kuth | (<i>Saussurea lappa</i>) | | |
| Labdanum | (<i>Cistus ladanifer</i>) | | |
| Labrador Tea | (<i>Ledum groenlandicum</i>) | | |
| Laurel | (<i>Laurus nobilis</i>) | | |
| Lavandin | (<i>Lavandula hybrida</i>) | | |
| Lavender | (<i>Lavandula officinalis</i> , <i>L. angustifolia</i>) | | |
| Lavender Tea Tree | (<i>Rosalina</i>) (<i>Melaleuca ericifolia</i>) | | |
| Leek | (<i>Allium ampeloprasum</i>) | | |
| Lemon | (<i>Citrus limonum</i>) | | |
| Lemon myrtle | (<i>Backhousia citriodora</i>) | | |
| Lemon verbena | (<i>Aloysia citriodora</i>) | | |
| Lemongrass | (<i>Cymbopogon flexuosus</i> , <i>C. citratus</i>) | | |
| Licorice | (<i>Glycyrrhiza glabra</i>) | | |
| Lime | (<i>Citrus aurantifolia</i>) | | |
| Litsea cubeba | (<i>Litsea cubeba</i>) | | |
| Lotus | (<i>Nelumbo nucifera</i>) | | |
| Lovage | (<i>Levisticum officinale</i>) | | |
| Magnolia | (<i>Michelia alba</i>) | | |
| Mandarin | (<i>Citrus reticulata</i>) | | |
| Manuka | (<i>Leptospermum scoparium</i>) | | |
| Maritime pine | (<i>Pinus pinaster</i>) | | |



| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|----------------------|---|---------|--------------|
| Marjoram | (<i>Majorana hortensis</i>) | | |
| Mastic | (<i>Pistacia lentiscus</i>) | | |
| Melissa | (<i>Melissa officinalis</i>) | | |
| Micromeria fruticosa | (<i>Micromeria fruticosa</i>) | | |
| Mint | (<i>Mentha arvensis, M. piperita, M. spicata nana, M. viridis, M. pulegium</i>) | | |
| Minthostachys mollis | (<i>Minthostachys mollis</i>) | | |
| Molle | (<i>Schinus molle</i>) | | |
| Monarda | (<i>Monarda fistulosa</i>) | | |
| Moroccan thyme | (<i>Thymus satureioides</i>) | | |
| Mugwort | (<i>Artemisia vulgaris</i>) | | |
| Mugwort white | (<i>Artemisia herba-alba</i>) | | |
| Musk | (<i>Hibiscus abelmoschus</i>) | | |
| Mustard | (<i>Sinapis alba</i>) | | |
| Myrrh | (<i>Commiphora myrrha</i>) | | |
| Myrtle | (<i>Myrtus communis</i>) | | |
| Neroli | (<i>Citrus aurantium amara</i>) | | |
| Niaouli | (<i>Melaleuca quinquenervia, M. viridiflora</i>) | | |
| Nutmeg | (<i>Myristica fragrans</i>) | | |
| Onion | (<i>Allium cepa</i>) | | |
| Opoponax | (<i>Commiphora erythraea</i>) | | |
| Orange | (<i>Citrus sinensis</i>) | | |
| Oregano | (<i>Origanum beacleoticum</i>) | | |
| Oregano vulgare | (<i>Origanum vulgare</i>) | | |
| Oregano wild | (<i>Origanum compactum, Thymus capitatus</i>) | | |
| Orris | (<i>Iris Pallida</i>) | | |
| Palmarosa | (<i>Cymbopogon martinii</i>) | | |
| Palo Santo | (<i>Bursera graveolens</i>) | | |
| Parietaria | (<i>Parietaria officinalis</i>) | | |
| Parsley | (<i>Petroselinum sativum, P. crispum</i>) | | |
| Patchouli | (<i>Pogostemon cablin</i>) | | |
| Pennyroyal | (<i>Mentha pulegium</i>) | | |
| Peppermint | (<i>Mentha piperita</i>) | | |
| Petit Grain | (<i>Citrus aurantium amara</i>) | | |
| Pine | (<i>Pinus sylvestris</i>) | | |
| Plai | (<i>Zingiber cassumunar</i>) | | |
| Prickly uniuniper | (<i>Juniperus oxycedrus</i>) | | |
| Psiadia | (<i>Psiadia altissima</i>) | | |
| Purple Basil | (<i>Ocimum sanctum, O.Tenuflorum</i>) | | |
| Ravensara aromatica | (<i>Ravensara aromatica</i>) | | |



| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|-------------------|--|---------|--------------|
| Ravintsara | (<i>Cinnamomum camphora</i>) | | |
| Roman chamomile | (<i>Anthemis nobilis</i>) | | |
| Rosalina | (<i>Melaleuca ericifolia</i>) | | |
| Rose | (<i>Rosa damascena</i>) | | |
| Rose Centifolia | (<i>Rose centifolia</i>) | | |
| Rose Geranium | (<i>Pelargonium roseum</i>) | | |
| Rose pepper | (<i>Schinus terebinthifolius</i>) | | |
| Rosemary | (<i>Rosmarinus officinalis</i>) | | |
| Rosewood | (<i>Aniba rosaeodora</i>) | | |
| Rosewood | (<i>Tabebuia rosea</i>) | | |
| Sabal serulata | (<i>Sabal serulata</i>) | | |
| Sage | (<i>Salvia lavandulifolia, S. officinalis, S. sclarea</i>) | | |
| Sandalwood | (<i>Santalum album, S. austrocaledonicum</i>) | | |
| Saro | (<i>Cinnamosma fragrans</i>) | | |
| Sea Fennel | (<i>Crithmum maritimum</i>) | | |
| Siberian Pine | (<i>Abies sibirica</i>) | | |
| Silver Fir | (<i>Abies alba</i>) | | |
| Spanish marjoram | (<i>Thymus mastichina</i>) | | |
| Spearmint | (<i>Mentha spicata</i>) | | |
| Spike lavender | (<i>Lavandula latifolia</i>) | | |
| St Johns Wort | (<i>Hypericum perforatum</i>) | | |
| Star Anise | (<i>Illicium verum</i>) | | |
| Stinkwort | (<i>Inula graveolens</i>) | | |
| Stoechas Lavender | (<i>Lavandula stoechas</i>) | | |
| Stone Pine | (<i>Pinus cembra</i>) | | |
| Sugandha Kokila | (<i>Sugandha Kokila</i>) | | |
| Sweet fennel | (<i>Foeniculum vulgare</i>) | | |
| Sweet marjoram | (<i>Origanum majorana</i>) | | |
| Tagetes | (<i>Tagetes minuta</i>) | | |
| Tansy Blue | (<i>Tanacetum annuum</i>) | | |
| Tara Gum | (<i>Caesalpinia spinosa</i>) | | |
| Tarragon | (<i>Artemisia dracunculus</i>) | | |
| Tea Tree | (<i>Melaleuca alternifolia</i>) | | |
| Texas cedar | (<i>Juniperus mexicana</i>) | | |
| Thistle | (<i>Silybum marianum</i>) | | |
| Thuja Orientalis | (<i>Thuja orientalis</i>) | | |
| Thyme | (<i>Thymus vulgaris, T. zygis, T. serpyllum</i>) | | |
| Tuberose | (<i>Polianthes tuberosa</i>) | | |
| Turmeric | (<i>Curcuma xanthorrhiza, C. longa</i>) | | |



ASK FOR OUR
FOOD GRADE
RAW MATERIALS





| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|---------------|---|---------|--------------|
| Turpentine | (<i>Pinus pinaster</i>) | | |
| Valeriana | (<i>Valeriana officinalis</i>) | | |
| Verbena | (<i>Verbena officinalis</i>) | | |
| Vetiver | (<i>Vetiveria zizanioides, Chrysopogon zizanioides</i>) | | |
| Violet | (<i>Viola odorata</i>) | | |
| Wild mint | (<i>Mentha arvensis</i>) | | |
| Wild sage | (<i>Lantana camara</i>) | | |
| Wild thyme | (<i>Thymus serpyllum</i>) | | |
| Winter Savory | (<i>Satureja montana</i>) | | |
| Wintergreen | (<i>Gaultheria fragrantissima, G. procumbens</i>) | | |
| Wiskataya | (<i>Senecio graveolens</i>) | | |
| Yarrow | (<i>Achillea millefolium</i>) | | |
| Ylang-Ylang | (<i>Cananga odorata</i>) | | |
| Yuzu | (<i>Citrus Junos</i>) | | |
| Zanthoxylum | (<i>Zanthoxylum armatum</i>) | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



BUTTERS

Rich in vitamins, they provide deep hydration to skin and hair.

100% Pure, natural and organic vegetable butters. Made up of vegetable oils in solid texture, obtained raw by cold pressing and then refined by physical means. Commonly used in cosmetics and foodstuffs.



Vegetable butters are vegetable oils in solid texture, even at room temperature. They are obtained by pressure extraction through cold pressing or crushing of the fruit from which they come. They can be presented in crude or refined finish. The refined finish is carried out by purifying the raw butter, through physical processes, without the intervention of chemical bases. This system guarantees a high quality of the butter and a better preservation of the unsaponifiable active ingredients.

Vegetable butters are thick, creamy and consistent. Rich in vitamins and polyunsaturated fatty acids, they stand out for their nourishing and emollient properties.































































































We offer the cosmetic and food industry the experience **to innovate in their formulations by accessing new and exotic raw materials,** together with traditional ingredients.



They are widely used in cosmetics as a base for multiple applications due to their solidified texture and their intense moisturising properties for skin and hair. In food, they are commonly used as an ingredient in a multitude of industrial formulations of processed products.





| TRADENAME | BOTANICAL NAME |  ORGANIC UNREFINED |  CONVENTIONAL UNREFINED |  ORGANIC REFINED (DEODORISED) |  CONVENTIONAL REFINED (DEODORISED) |
|----------------------|------------------------------------|---|--|--|---|
| Acai | (<i>Euterpe oleracea</i>) | | |  |  |
| Allanblackia | (<i>Allanblackia Floribunda</i>) | | |  |  |
| Almond | (<i>Prunus amygdalus dulcis</i>) | | |  |  |
| Aloe vera | (<i>Aloe barbadensis</i>) | | |  |  |
| Amla | (<i>Emblica officinalis</i>) | | |  |  |
| Andiroba | (<i>Carapa guianensis</i>) |  |  |  |  |
| Apricot | (<i>Prunus armeniaca</i>) | | |  |  |
| Avocado | (<i>Persea gratissima</i>) | | |  |  |
| Babassu | (<i>Orbignya oleifera</i>) | | |  |  |
| Baobab | (<i>Adansonia digitata</i>) | | |  |  |
| Black cumin | (<i>Nigella sativa</i>) | | |  |  |
| Blackcurrant | (<i>Ribes nigrum</i>) | | |  |  |
| Blueberry | (<i>Vaccinium corymbosum</i>) | | |  |  |
| Brazil nut | (<i>Bertholletita excelsa</i>) | | |  |  |
| Camellia | (<i>Camellia sinensis</i>) | | |  |  |
| Carrot | (<i>Daucus carota</i>) | | |  |  |
| Chamomile | (<i>Chamomilla recutita</i>) | | |  |  |
| Cherry | (<i>Prunus cerasus</i>) | | |  |  |
| Chia | (<i>Salvia hispanica</i>) | | |  |  |
| Cocoa | (<i>Theobroma cacao</i>) |  |  |  |  |
| Coffee bean | (<i>Coffea arabica</i>) | | |  |  |
| Cranberry | (<i>Vaccinium macrocarpon</i>) | | |  |  |
| Cucumber | (<i>Cucumis sativus</i>) | | |  |  |
| Cupuacu | (<i>Theobroma grandiflorum</i>) |  |  |  |  |
| Dhupa | (<i>Vateria Indica</i>) | | |  |  |
| Diploknema Butyracea | (<i>Diploknema Butyracea</i>) | | |  |  |
| Elderberry | (<i>Sambucus nigra</i>) | | |  |  |
| Ghee | | | |  |  |
| Granada | (<i>Punica granatum</i>) | | |  |  |
| Grapeseed | (<i>Vitis vinifera</i>) | | |  |  |
| Green tea | (<i>Camellia sinensis</i>) |  |  |  |  |
| Hemp | (<i>Cannabis sativa</i>) | | |  |  |
| Horsetail | (<i>Equisetum arvense</i>) | | |  |  |
| Illipe | (<i>Shorea Stenoptera</i>) | | |  |  |
| Jajoba | (<i>Simmondsia chinensis</i>) |  |  |  |  |
| Kalahari melon | (<i>Citrullus lanatus</i>) | | |  |  |
| Kokum | (<i>Garcinia Indica</i>) |  |  |  |  |
| Kombo | (<i>Pycnanthus angolensis</i>) |  |  |  |  |



ASK FOR OUR
FOOD GRADE
RAW MATERIALS





























| TRADENAME | BOTANICAL NAME | ORGANIC UNREFINED (U) | CONVENTIONAL UNREFINED (U) | ORGANIC REFINED (DEODORISED) (R) | CONVENTIONAL REFINED (DEODORISED) (R) |
|-------------------|--|-----------------------|----------------------------|----------------------------------|---------------------------------------|
| Kpagnan | (<i>Pentadesma Butyracea</i>) | | | | |
| Kukui | (<i>Aleurites moluccana</i>) | | | | |
| Kukui | (<i>Aleurites moluccanus</i>) | | | | |
| Lavender | (<i>Lavandula Angustifolia</i>) | | | | |
| Lemon | (<i>Citrus limonum</i>) | | | | |
| Lime | (<i>Citrus aurantifolia</i>) | | | | |
| Macadamia | (<i>Macadamia ternifolia, M. integrifolia</i>) | | | | |
| Mafura | (<i>Trichilia emetica</i>) | | | | |
| Mandarin | (<i>Citrus nobilis</i>) | | | | |
| Mango | (<i>Mangifera indica</i>) | | | | |
| Mangosteen | (<i>Garcinia mangostana</i>) | | | | |
| Marula | (<i>Sclerocarya birrea</i>) | | | | |
| Mongongo - MankeQ | (<i>Schinziophyton rautaneii</i>) | | | | |
| Monoï | (<i>Gardenia Taitensis</i>) | | | | |
| Moringa | (<i>Moringa oleifera</i>) | | | | |
| Mowrah | (<i>Bassia Latifolia</i>) | | | | |
| Murumuru | (<i>Astrocaryum murumuru</i>) | | | | |
| Neem | (<i>Azadirachta indica</i>) | | | | |
| Oat | (<i>Avena sativa</i>) | | | | |
| Ojon | (<i>Elaeis oleifera</i>) | | | | |
| Olive | (<i>Olea europaea</i>) | | | | |
| Orange | (<i>Citrus sinensis</i>) | | | | |
| Papaya | (<i>Carica papaya</i>) | | | | |
| Peach | (<i>Prunus persica</i>) | | | | |
| Pepita de uva | (<i>Vitis vinifera</i>) | | | | |
| Phulwara | (<i>Bassia Butyracea</i>) | | | | |
| Pistachio | (<i>Pistacia vera</i>) | | | | |
| Plum | (<i>Prunus domestica</i>) | | | | |
| Pumpkin | (<i>Cucurbita pepo</i>) | | | | |
| Raspberry | (<i>Rubus idaeus</i>) | | | | |
| Rice bran | (<i>Oryza sativa</i>) | | | | |
| Rosemary | (<i>Rosmarinus officinalis</i>) | | | | |
| Sal | (<i>Shorea Robusta</i>) | | | | |
| Sapote | (<i>Pouteria sapota</i>) | | | | |
| Shea | (<i>Butyrospermum Parkii</i>) | | | | |
| Strawberry | (<i>Fragaria vesca</i>) | | | | |
| Sunflower | (<i>Helianthus annuus</i>) | | | | |
| Tamanú | (<i>Calophyllum inophyllum</i>) | | | | |



ASK FOR OUR
FOOD GRADE
RAW MATERIALS





| TRADENAME | BOTANICAL NAME |  ORGANIC UNREFINED |  CONVENTIONAL UNREFINED |  ORGANIC REFINED (DEODORISED) |  CONVENTIONAL REFINED (DEODORISED) |
|------------|--|---|--|--|---|
| Thyme | <i>(Thymus vulgaris)</i> | | |  |  |
| Tomato | <i>(Solanum lycopersicum)</i> | | |  |  |
| Tucuma | <i>(Astrocaryum aculeatum)</i> | | |  |  |
| Turmeric | <i>(Curcuma longa)</i> | | |  |  |
| Ucuuba | <i>(Virola sebifera)</i> | | |  |  |
| Vanilla | <i>(Vanilla planifolia, V. tahitensis)</i> | | |  |  |
| Walnut | <i>(Juglans regia)</i> |  |  |  |  |
| Watermelon | <i>(Citrullus vulgaris)</i> | | |  |  |
| Wheat germ | <i>(Triticum vulgare)</i> | | |  |  |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



FLORAL HYDROLATS & WATER EXTRACTS

Floral Hydrolats & Water Extracts of the highest purity and quality, from those parts of the planet where they are produce.





FLORAL HYDROLATS

Gentle on the skin and with a subtle aroma, they are the result of the distillation of essential oils.



100% Pure, natural and organic floral hydrolats.

Obtained by the entrainment of water vapour during the distillation of essential oils. Preserves the properties of the distilled plant. Mainly used in cosmetics but also in food.

We offer the cosmetic, food and pharmaceutical we offer the cosmetic, food and pharmaceutical industries the experience **to innovate in their formulations by accessing new and exotic raw materials, together with traditional ingredients.**



Floral Hydrolats or Flower Waters are obtained during the distillation of plants and flowers to obtain the essential oil. To do this, the part of the plant from which the essential oil is obtained is placed in a still together with water so that, when heated, the water vapour carries away the essential oils from the plant. Once they are carried away by the vapour, when it cools down, the difference in molecular weight between the water and the oil causes the essential oil to remain on top and the water underneath. This water left over from the distillation process is known as hydrolat or floral water and has the same properties as the essential oil, but in a much less concentrated form.

Hydrolats increase the moisture content of the skin. They are gentle to the dermis and discreetly scented. Their pH is similar to that of the skin, between 5 and 6, making them ideal for sensitive skin, including babies' skin.

They require special preservation as they are very sensitive to light and extreme temperatures. They should be kept away from direct light in dark jars at room temperature.



| TRADENAME | BOTANICAL NAME |  ORGANIC HYDROLAT |  CONVENTIONAL HYDROLAT |
|----------------------|---|--|---|
| Chamomile | <i>(Chamomilla recutita, Ormenis mixta, Chamaemelum nobile, Santolina chamaecyparissus, Anthemis nobilis)</i> |  |  |
| Cornflower | <i>(Centaurea cyanus)</i> |  |  |
| Cypress | <i>(Cupressus sempervirens)</i> |  |  |
| Dulse | <i>(Palmaria palmata)</i> |  |  |
| Eucalyptus | <i>(Eucalyptus globulus)</i> |  |  |
| Geranium Bourbon | <i>(Pelargonium graveolens)</i> |  |  |
| Ginkgo biloba | <i>(Ginkgo biloba)</i> |  |  |
| Green tea | <i>(Camellia sinensis)</i> |  |  |
| Hamamelis | <i>(Hamamelis virginiana)</i> |  |  |
| Helichrysum italicum | <i>(Helichrysum italicum)</i> |  |  |
| Himantalia | <i>(Himantalia elongata)</i> |  |  |
| Jasmine | <i>(Jasminum grandiflorum)</i> |  |  |
| Juniper berry | <i>(Juniperus communis)</i> |  |  |
| Labdanum | <i>(Cistus ladanifer)</i> |  |  |
| Labrador Tea | <i>(Ledum groenlandicum)</i> |  |  |
| Laminaria | <i>(Laminaria digitata)</i> |  |  |
| Laurel | <i>(Laurus nobilis)</i> |  |  |
| Lavandin | <i>(Lavandula hybrida)</i> |  |  |
| Lavender | <i>(Lavandula officinalis, L. angustifolia)</i> |  |  |
| Lemon verbena | <i>(Verbena triphylla)</i> |  |  |
| Lime tree | <i>(Tilia platyphyllos)</i> |  |  |
| Mastic | <i>(Pistacia lentiscus)</i> |  |  |
| Melissa | <i>(Melissa officinalis)</i> |  |  |
| Mint | <i>(f arvensis, M. piperita, M. spicata nana, M. viridis, M. pulegium)</i> |  |  |
| Mirtle | <i>(Myrtus communis)</i> |  |  |
| Neroli | <i>(Citrus aurantium amara)</i> |  |  |
| Olive | <i>(Olea europaea)</i> |  |  |
| Peppermint | <i>(Mentha piperita)</i> |  |  |
| Pine | <i>(Pinus sylvestris)</i> |  |  |
| Roman chamomile | <i>(Anthemis nobilis)</i> |  |  |
| Rose | <i>(Rosa damascena)</i> |  |  |
| Rose Centifolia | <i>(Rosa centifolia)</i> |  |  |
| Rosemary | <i>(Rosmarinus officinalis)</i> |  |  |
| Sage | <i>(Salvia lavandulifolia, S. officinalis, S. sclarea)</i> |  |  |
| Stinkwort | <i>(Inula graveolens)</i> |  |  |
| Tea Tree | <i>(Melaleuca alternifolia)</i> | | |
| Thyme | <i>(Thymus vulgaris, T. zygis)</i> | | |



| TRADENAME | BOTANICAL NAME | ORGANIC HYDROLAT | CONVENTIONAL HYDROLAT |
|---------------|------------------------------|------------------|-----------------------|
| Verbena | <i>(Verbena officinalis)</i> | | |
| Winter Savory | <i>(Satureja montana)</i> | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS




WATER EXTRACTS

They are mainly used in natural cosmetics and pharmaceutical applications.

Water extracts are natural preparations obtained by maceration of a plant, using water as a solvent.

Rich in vitamins, mineral salts and active ingredients, they acquire the therapeutic action of the plant they come from during the maceration process.



100% Pure, natural and organic water extracts. Obtained by macerating a plant in water.



We offer the cosmetic, food and pharmaceutical we offer the cosmetic, food and pharmaceutical industries the experience **to innovate in their formulations by accessing new and exotic raw materials,** together with traditional ingredients.





| TRADENAME | BOTANICAL NAME | ORGANIC WATER EXTRACT | CONVENTIONAL WATER EXTRACT |
|------------------|---|-----------------------|----------------------------|
| Aloe Vera | (<i>Aloe barbadensis</i>) | | |
| Apple | (<i>Pyrus malus</i>) | | |
| Bamboo | (<i>Bambusa vulgaris</i>) | | |
| Banana | (<i>Musa sapientum</i>) | | |
| Barley | (<i>Hordeum vulgare</i>) | | |
| Bergamot | (<i>Citrus bergamia</i>) | | |
| Bilberry | (<i>Vaccinium myrtillus</i>) | | |
| Blackcurrant | (<i>Ribes nigrum</i>) | | |
| Blueberry | (<i>Vaccinium corymbosum</i>) | | |
| Burdock | (<i>Arctium lappa, A. majus</i>) | | |
| Camellia | (<i>Camellia oleifera, C. sinensis, C. kissi, C. japonica</i>) | | |
| Cantaloupe Melon | (<i>Cucumis melo</i>) | | |
| Chamomile | (<i>Chamomilla recutita, Ormenis mixta, Chamaemelum nobile, Santolina chamaecyparissus, Anthemis nobilis</i>) | | |
| Cherry Laurel | (<i>Prunus laurocerasus</i>) | | |
| Citronella | (<i>Cymbopogon schoenanthus</i>) | | |
| Cocoa | (<i>Theobroma cacao</i>) | | |
| Coconut | (<i>Cocos nucifera</i>) | | |
| Cornflower | (<i>Centaurea cyanus</i>) | | |
| Cucumber | (<i>Cucumis sativus</i>) | | |
| Elderberry | (<i>Sambucus nigra</i>) | | |
| Frangipani | (<i>Plumeria alba</i>) | | |
| Gentian | (<i>Genvana lutea</i>) | | |
| Geranium Bourbon | (<i>Pelargonium graveolens</i>) | | |
| Grapefruit | (<i>Citrus grandis</i>) | | |
| Grapeseed | (<i>Vitis vinifera</i>) | | |
| Green tea | (<i>Camellia sinensis</i>) | | |
| Guava | (<i>Psidium guayava</i>) | | |
| Hamamelis | (<i>Hamamelis virginiana</i>) | | |
| Hibiscus | (<i>Hibiscus sabdariffa</i>) | | |
| Horse Chestnut | (<i>Aesculus hippocastanum</i>) | | |
| Ivy | (<i>Hedera helix</i>) | | |
| Jasmine | (<i>Jasminum officinalis</i>) | | |
| Kiwifruit | (<i>Actinidia chinensis</i>) | | |
| Lavender | (<i>Lavandula officinalis, L. angustifolia</i>) | | |
| Lemon | (<i>Citrus limonum</i>) | | |
| Lime | (<i>Citrus aurantifolia</i>) | | |
| Lime tree | (<i>Tilia platyphyllos</i>) | | |



| TRADENAME | BOTANICAL NAME | ORGANIC WATER EXTRACT | CONVENTIONAL WATER EXTRACT |
|----------------------|--|-----------------------|----------------------------|
| Lotus | (<i>Lotus corniculatus</i>) | | |
| Mango | (<i>Mangifera indica</i>) | | |
| Marigold / Calendula | (<i>Calendula officinalis</i>) | | |
| Marshmallow | (<i>Althaea officinalis</i>) | | |
| Meadowsweet | (<i>Filipendula ulmaria, Spirea ulmaria</i>) | | |
| Melissa | (<i>Melissa officinalis</i>) | | |
| Neroli | (<i>Citrus aurantium amara</i>) | | |
| Oat | (<i>Avena sativa</i>) | | |
| Orange | (<i>Citrus sinensis</i>) | | |
| Passion Fruit | (<i>Passiflora edulis</i>) | | |
| Pear | (<i>Pyrus communis</i>) | | |
| Peppermint | (<i>Mentha piperita</i>) | | |
| Petit Grain | (<i>Citrus aurantium amara</i>) | | |
| Pineapple | (<i>Ananas sativus</i>) | | |
| Prickly uniuniper | (<i>Juniperus oxycedrus</i>) | | |
| Raspberry | (<i>Rubus idaeus</i>) | | |
| Roman chamomile | (<i>Anthemis nobilis</i>) | | |
| Rose | (<i>Rosa damascena</i>) | | |
| Rose Centifolia | (<i>Rose centifolia</i>) | | |
| Rosehip | (<i>Rosa canina</i>) | | |
| Rosemary | (<i>Rosmarinus officinalis</i>) | | |
| Sage | (<i>Salvia lavandulifolia, S. officinalis, S. sclarea</i>) | | |
| Sandalwood | (<i>Pterocarpus soyauxii</i>) | | |
| Sea Fennel | (<i>Crithmum maritimum</i>) | | |
| Strawberry | (<i>Fragaria vesca</i>) | | |
| Tiare | (<i>Gardenia Tahitensis</i>) | | |
| Tilia | (<i>Tilia cordata</i>) | | |
| Vanilla | (<i>Vanilla planifolia, V. tahitensis</i>) | | |
| Watermelon | (<i>Citrullus lanatus</i>) | | |
| White nettle | (<i>Lamium album</i>) | | |
| Ylang-Ylang | (<i>Cananga odorata</i>) | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



PLANT EXTRACTS

Macerated in different solvents, they acquire the therapeutic action of the plant they come from.

Plant extracts are natural preparations obtained by macerating a plant in a solvent. Through this process, the active principles, which are beneficial to the organism, are transferred to the solvent, giving rise to a natural compound suitable for cosmetic, pharmaceutical and industrial uses.

There are different plant extracts depending on the solvent used.

Some of them are:

Macerated or oily extract:

When a vegetable oil is used as a solvent.

Hydroglycerinated extract:

When the solvent used in the maceration is glycerine.

Hydroglycolic extract:

When the solvent used is propylene glycol.

Rich in vitamins, mineral salts and active ingredients, they acquire the therapeutic action of the plant they come from during the maceration process. Mainly used in natural cosmetics, pharmaceutical applications and various industrial productions.



100% Pure, natural and organic plant extracts.

Obtained by macerating a vegetable in water.



We offer the cosmetic and pharmaceutical industry **the experience to innovate in their formulations through access to new and exotic raw materials**, together with traditional ingredients.




ASK FOR OUR
FOOD GRADE
RAW MATERIALS



| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROGLYCERINATED, HYDROLYCOLIC OR INFUSED****) | CONVENTIONAL VEGETABLE EXTRACTS | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|-----------------|---|---|---------------------------------|---------------------|--------------------------|-----------------------|----------------------------|
| Abrotano | (<i>Artemisia abrotanum</i>) | | VE | | | | |
| Acacia | (<i>Vachellia farnesiana</i>) | VE | VE | | | | |
| Acacia | (<i>Robinia Pseudoacacia</i>) | VE | VE | | | | |
| Acerola | (<i>Malphigia glabra</i>) | VE | VE | | | | |
| Agrimony | (<i>Agrimonia eupatoria</i>) | | VE | | | | |
| Ajowan | (<i>Trachyspermum ammi</i>) | | | | VE | | |
| Alchemilla | (<i>Alchemilla vulgaris</i>) | VE | VE | | | | |
| Alder Buckthorn | (<i>Rhamnus frangula</i>) | | | | | VE | VE |
| Aleppo pine | (<i>Pinus halepensis</i>) | | VE | | | | |
| Alfalfa | (<i>Medicago sativa</i>) | VE | VE | | | | |
| Alkannia | (<i>Alkanna tinctoria</i>) | | VE | | | | |
| Allspice | (<i>Pimenta officinalis, P. dioica</i>) | | | VE | VE | | |
| Almond | (<i>Prunus amygdalus dulcis</i>) | VE | VE | | | | |
| Aloe Ferox | (<i>Aloe ferox</i>) | | VE | | | | |
| Aloe Vera | (<i>Aloe barbadensis</i>) | VE | VE | | | | |
| Alpha Bisabolol | | VE | VE | | | | |
| Amaranth | (<i>Amaranthus caudatus</i>) | | | VE | VE | | |
| Amla | (<i>Embllica officinalis</i>) | VE | VE | | | | |
| Angelica | (<i>Angelica archangelica</i>) | VE | VE | VE | VE | | |
| Anise | (<i>Pimpinella anisum</i>) | VE | VE | | | | |
| Annatto | (<i>Bixa orellana</i>) | VE | VE | | | | |
| Apple | (<i>Pyrus malus</i>) | VE | VE | | | | |
| Apricot | (<i>Prunus armeniaca</i>) | VE | VE | | | | |
| Argan | (<i>Argania espinosa</i>) | | VE | | | | |
| Arjuna | (<i>Terminalia arjuna</i>) | | VE | | | | |
| Arnica | (<i>Arnica montana</i>) | VE | VE | VE | VE | | |
| Arnica Mexico | (<i>Heterotheca inuloides</i>) | | VE | | | | |
| Aronia | (<i>Aronia melanocarpa</i>) | | VE | | | | |
| Artichoke | (<i>Cynara scolymus</i>) | VE | VE | | | VE | VE |
| Ash Tree | (<i>Fraxinus excelsior</i>) | | VE | | | | |
| Assai palm | (<i>Euterpe oleracea</i>) | | VE | | | | |
| Astragalous | (<i>Astragalus membranaceus</i>) | | VE | | | | |
| Avocado | (<i>Persea gratissima</i>) | VE | VE | | | | |
| Azufaifo | (<i>Ziziphus jujuba</i>) | | VE | | | | |
| Babassu | (<i>Orbignya oleifera</i>) | | VE | | | | |
| Balsam Tolú | (<i>Myroxylon toluifera</i>) | | VE | | | | |
| Bamboo | (<i>Bambusa vulgaris</i>) | VE | VE | | | | |
| Bamboo | (<i>Phyllostachys bambusoides</i>) | VE | VE | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROLYZED/GERMINATED) | CONVENTIONAL VEGETABLE EXTRACTS (HYDROLYZED/GERMINATED OR INFUSED****) | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|----------------------|--|--|--|---------------------|--------------------------|-----------------------|----------------------------|
| Banana | (Musa sapientum) | VE | VE | | | | |
| Barberry | (Berberis vulgaris) | | VE | | | | |
| Barley | (Hordeum vulgare) | VE | VE | | | | |
| Basil | (Ocimum basilicum) | VE | VE | | | | |
| Beans | (Phaseolus vulgaris) | | | | | DE | DE |
| Bear Garlic | (Allium ursinum) | | | | | DE | DE |
| Bearberry | (Arctostaphylos uva ursi) | VE | VE | | | | |
| Beet | (Beta vulgaris) | VE | VE | | | | |
| Benzoin | (Styrax benzoin, S. tonkinensis) | | VE | | | | |
| Bergamot | (Citrus bergamia) | VE | VE | | | | |
| Bilberry | (Vaccinium myrtillus) | VE | VE | | | | |
| Birch | (Betula alba) | VE | VE | | | | |
| Birch | (Betula pubescens) | VE | VE | | | | |
| Birch sweet | (Betula lenta) | VE | VE | | | | |
| Bistort | (Polygonum bistorta) | | VE | | | | |
| Bitter orange | (Citrus aurantium amara) | | | | | DE | DE |
| Black alder | (Alnus glutinosa) | VE | VE | | | | |
| Black Cohosh | (Cimicifuga racemosa) | | VE | | | | |
| Black cumin | (Nigella sativa) | | | DE | DE | DE | DE |
| Black horehound | (Ballota nigra) | | | | | DE | DE |
| Black pepper | (Piper nigrum) | | VE | | | | |
| Black poplar | (Populus nigra) | VE | VE | | | | |
| Black radish | (Raphanus sativus) | | | | | DE | DE |
| Black winter truffle | (Tuber brumale) | | VE | | | | |
| Blackberry | (Rubus fruticosus) | VE | VE | | | | |
| Blackcurrant | (Ribes nigrum) | VE | VE | | | | |
| Bladderwrack | (Fucus vesiculosus) | | VE | | | | |
| Blueberry | (Vaccinium corymbosum) | VE | VE | | | | |
| Boldo | (Peumus boldus) | VE | VE | | | DE | DE |
| Borage | (Borago officinalis) | | VE | DE | DE | | |
| Broccoli | (Brassica oleracea italica) | VE | VE | | | DE | DE |
| Buckwheat | (Polygonum fagopyrum, Polygonum fagopyrum) | VE | VE | | | DE | DE |
| Bupleurum falcatum | (Bupleurum falcatum) | | VE | | | | |
| Burdock | (Arctium lappa, A. majus) | VE | VE | | | | |
| Buriti | (Mauritia flexuosa) | | VE | | | | |
| Butchers broom | (Ruscus aculeatus) | VE | VE | | | | |
| Cabbage | (Brassica oleracea viridis) | | | | | | DE |
| Calahuala | (Campyloneurum angustifolium) | | VE | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROGLYCERINATED, HYDROGLYCOLIC OR INFUSED****) | CONVENTIONAL VEGETABLE EXTRACTS (HYDROGLYCERINATED, HYDROGLYCOLIC OR INFUSED****) | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|-------------------|---|--|---|---------------------|--------------------------|-----------------------|----------------------------|
| Calamus | (<i>Acorus calamus</i>) | | | | | | |
| Californian Poppy | (<i>Eschscholtzia californica</i>) | | | | | | |
| Camellia | (<i>Camellia oleifera, C. sinensis, C. kissi, C. japonica</i>) | | | | | | |
| Camphor | (<i>Cinnamomum camphora</i>) | | | | | | |
| Camu camu | (<i>Myrtaceae Myrciaria dubia Kunth, Myrciaria dubia</i>) | | | | | | |
| Cantaloupe Melon | (<i>Cucumis melo</i>) | | | | | | |
| Caraway | (<i>Carum carvi</i>) | | | | | | |
| Cardamom | (<i>Elettaria cardamomum</i>) | | | | | | |
| Carnation | (<i>Dianthus caryophyllus</i>) | | | | | | |
| Carob | (<i>Ceratonia siliqua</i>) | | | | | | |
| Carrot | (<i>Daucus carota</i>) | | | | | | |
| Cascara Sagrada | (<i>Rhamnus purshiana</i>) | | | | | | |
| Cat's claw | (<i>Uncaria tomentosa</i>) | | | | | | |
| Catnip | (<i>Nepeta cataria</i>) | | | | | | |
| Caviar | (<i>Microcitrus Australásica</i>) | | | | | | |
| Celandine | (<i>Chelidonium majus</i>) | | | | | | |
| Celery | (<i>Apium graveolens</i>) | | | | | | |
| Centella asiatica | (<i>Centella asiatica</i>) | | | | | | |
| Chamomile | (<i>Chamomilla recutita, Ormenis mixta, Chamaemelum nobile, Santolina chamaecyparissus, Anthemis nobilis</i>) | | | | | | |
| Chaste Tree | (<i>Vitex agnus castus</i>) | | | | | | |
| Cherry | (<i>Prunus avium</i>) | | | | | | |
| Cherry | (<i>Prunus cerasus</i>) | | | | | | |
| Cherry Laurel | (<i>Prunus laurocerasus</i>) | | | | | | |
| Chestnut | (<i>Castanea sativa</i>) | | | | | | |
| Chia | (<i>Salvia hispanica</i>) | | | | | | |
| Chickweed | (<i>Stellaria media</i>) | | | | | | |
| Chicory | (<i>Cichorium intybus</i>) | | | | | | |
| Chilean guava | (<i>Ugni molinae</i>) | | | | | | |
| Chilli | (<i>Capsicum frutescens</i>) | | | | | | |
| Chinese Angelica | (<i>Angelica sinensis</i>) | | | | | | |
| Chive | (<i>Allium schoenoprasum</i>) | | | | | | |
| Chlorella | (<i>Chlorella vulgaris</i>) | | | | | | |
| Chrysanthellum | (<i>Chrysanthellum americanum, C. indicum</i>) | | | | | | |
| Cinnamon Bark | (<i>Cinnamomum zeylanicum, C. cassia</i>) | | | | | | |
| Cinnamon Leaf | (<i>Cinnamomum zeylanicum, C. cassia</i>) | | | | | | |
| Citronella | (<i>Cymbopogon schoenanthus</i>) | | | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROALCOHOLIC, HYDROALCOHOLIC OR INFUSED)**** | CONVENTIONAL VEGETABLE EXTRACTS | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|---------------------|---|--|---------------------------------|---------------------|--------------------------|-----------------------|----------------------------|
| Clementine | (Citrus clementina) | | | | | DE | DE |
| Clove | (Syzygium aromaticum, Eugenia caryophyllus) | | VE | | DE | | DE |
| Cocoa | (Theobroma cacao) | VE | VE | DE | DE | | |
| Coconut | (Cocos nucifera) | VE | VE | DE | DE | | |
| Coffee bean | (Coffea arabica) | VE | VE | DE | DE | | |
| Coltsfoot | (Tussilago officinalis) | | VE | | | | |
| Comfrey | (Symphytum officinale) | VE | VE | | | | |
| Common ash | (Fraxinus excelsior) | | | | | DE | DE |
| Common lilac | (Syringa vulgaris) | VE | VE | | | | |
| Coriander | (Coriandrum sativum) | | | DE | DE | DE | DE |
| Corn | (Zea mays) | VE | VE | | | | |
| Cornflower | (Centaurea cyanus) | VE | VE | | | | |
| Cotton | (Gossypium herbaceum) | VE | VE | | | | |
| Couch Grass | (Poaceae agropyron repens, Triticum repens) | | | | | DE | DE |
| Cranberry | (Vaccinium macrocarpon) | VE | VE | | | | |
| Cranberry | (Vaccinium vitis-idaea) | VE | VE | | | | |
| Cryptocarya | (Cryptocarya massaia) | | | | DE | | |
| Cucumber | (Cucumis sativus) | VE | VE | | | | |
| Cumin | (Cuminum cyminum) | | | DE | DE | | |
| Cundurango | (Marsdenia condurango) | | VE | | | | |
| Cupuacu | (Theobroma grandiflorum) | | VE | | | | |
| Custard apple | (Annona cherimola) | | VE | | | | |
| Cypress | (Cupressus sempervirens) | VE | VE | | | | |
| Daffodil | (Narcissus tazema) | | VE | | | | |
| Daisy | (Bellis perennis) | VE | VE | | | | |
| Damiana | (Turnera aphrodisiaca) | | | | | | DE |
| Dandelion | (Taraxacum officinalis) | VE | VE | | | DE | DE |
| Daniellia | (Daniellia oliveri) | | | | DE | | |
| Date | (Phoenix dactylifera) | VE | VE | | | | DE |
| Delesseria | (Delesseria sanguinea) | | VE | | | | DE |
| Desmodium | (Desmodium adscendens) | | | | | DE | DE |
| Devil's Claw slices | (Harpagophytum procumbens) | VE | VE | | | | |
| Dill | (Anethum graveolens) | VE | VE | DE | DE | | |
| Dogwood | (Cornus sanguinea) | VE | VE | | | | |
| Dragon fruit | (Hylocereus undatus) | | VE | | | | |
| Dragons Blood | (Croton lechleri) | | VE | | | | |
| Drosera | (Drosera rotundifolia L.) | | | | | | DE |
| Dunaliella | (Dunaliella salina) | | VE | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROALCOHOLIC, HYDROLYCOLIC OR INFUSED****) | CONVENTIONAL VEGETABLE EXTRACTS | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|------------------------|---|--|---------------------------------|---------------------|--------------------------|-----------------------|----------------------------|
| Dwarf Periwinkle | (<i>Vinca minor</i>) | | VE | | | | |
| Echinacea angustifolia | (<i>Echinacea angustifolia</i>) | | VE | | CO2 | | |
| Edelweiss | (<i>Leontopodium alpinum</i>) | | VE | | | | |
| Eggplant | (<i>Solanum melongena</i>) | VE | VE | | | | |
| Elderberry | (<i>Sambucus nigra</i>) | VE | VE | | | | |
| Elecampane | (<i>Inula helenium</i>) | | | | | | DE |
| Eleutherococcus | (<i>Eleutherococcus senticosus</i>) | | VE | | | | |
| Epilobium | (<i>Epilobium angustifolium</i>) | VE | VE | | | DE | DE |
| Eucalyptus | (<i>Eucalyptus citriodora, E. globulus, E. dives, E. polybractea, E. radiata, E. smithii, E. staigeriana</i>) | VE | VE | | | | |
| Evening primrose | (<i>Oenothera biennis</i>) | | VE | CO2 | CO2 | | |
| Evernia | (<i>Evernia furfuracea</i>) | | VE | | | | |
| Evodia rutaecarpa | (<i>Tetradium ruticarpum</i>) | | VE | | | | |
| Eyebright | (<i>Euphrasia spp.</i>) | | VE | | | | |
| Fennel | (<i>Foeniculum vulgare</i>) | | | | CO2 | DE | DE |
| Fenugreek | (<i>Trigonella foenum graecum</i>) | | VE | CO2 | CO2 | | |
| Fern | (<i>Dryopteris filix-mas</i>) | | VE | | | | |
| Feverfew | (<i>Tanacetum parthenium</i>) | | | | CO2 | DE | DE |
| Fig | (<i>Ficus carica</i>) | VE | VE | | | | |
| Flax | (<i>Linum usitatissimum</i>) | VE | VE | | | | |
| Frangipani | (<i>Plumeria alba</i>) | | VE | | | | |
| French rose | (<i>Rosa gallica</i>) | | VE | | | | |
| Fucus | (<i>Fucus vesiculosus</i>) | VE | VE | | | | |
| Fumitory | (<i>Fumaria officinalis L.</i>) | | | | | | DE |
| Galanga | (<i>Alpinia galanga</i>) | | | CO2 | CO2 | | |
| Galbanum | (<i>Ferula galbaniflua</i>) | | | | CO2 | | |
| Garcinia | (<i>Garcinia cambodgia</i>) | | | | | | DE |
| Gardenia | (<i>Gardenia jasminoides</i>) | VE | VE | | | | |
| Garlic | (<i>Allium sativum</i>) | VE | VE | CO2 | CO2 | | |
| Gatuña | (<i>Ononis spinosa</i>) | | VE | | | | |
| Gentian | (<i>Gentiana lutea</i>) | VE | VE | | | | |
| Ginger | (<i>Zingiber officinalis</i>) | VE | VE | CO2 | CO2 | | |
| Ginger mango | (<i>Curcuma amada</i>) | | | | CO2 | | |
| Ginkgo biloba | (<i>Ginkgo biloba</i>) | VE | VE | | | | |
| Ginseng | (<i>Panax ginseng</i>) | VE | VE | | | | |
| Goats rue | (<i>Galega officinalis</i>) | | | | | | DE |
| Goji | (<i>Lycium barbarum</i>) | VE | VE | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROALCOHOLIC, HYDROLYCOLIC OR INFUSED****) | CONVENTIONAL VEGETABLE EXTRACTS (VE) | ORGANIC CO2 EXTRACT (CO2E) | CONVENTIONAL CO2 EXTRACT (CO2E) | ORGANIC DRIED EXTRACT (DE) | CONVENTIONAL DRIED EXTRACT (DE) |
|----------------------|------------------------------------|--|--------------------------------------|----------------------------|---------------------------------|----------------------------|---------------------------------|
| Gokshura | (<i>Tribulus terrestri</i>) | | VE | | | | |
| Golden rod | (<i>Solidago virga-aurea</i>) | | | | | | DE |
| Golden Shower Tree | (<i>Cassia fistula</i>) | | | | | | DE |
| Gotu kola | (<i>Centella asiatica</i>) | VE | VE | | | | |
| Grapefruit - pink | (<i>Citrus paradisi</i>) | VE | VE | | | | |
| Grapefruit - white | (<i>Citrus paradisi</i>) | VE | VE | | | | |
| Grapefruit | (<i>Citrus grandis</i>) | VE | VE | | | | |
| Grapefruit | (<i>Citrus Maxima, Decumana</i>) | | | | | | DE |
| Grapeseed | (<i>Vitis vinifera</i>) | VE | VE | | | | |
| Greater plantain | (<i>Plantago major</i>) | VE | VE | | | | |
| Green Coffee | (<i>Coffea robusta</i>) | | | | | DE | DE |
| Green Mate | (<i>Ilex paraguariensis</i>) | | | | | DE | DE |
| Green tea | (<i>Camellia sinensis</i>) | VE | VE | | | | |
| Griffonia | (<i>Griffonia simplicifolia</i>) | | | | | | DE |
| Grindelia | (<i>Grindelia robusta</i>) | | | | | | DE |
| Ground Ivy | (<i>Glechoma hederacea</i>) | | | | | | DE |
| Guarana | (<i>Paullinia cupana</i>) | VE | VE | | | | |
| Guava | (<i>Psidium guayava</i>) | VE | VE | | | | |
| Guelder rose | (<i>Viburnum opulus</i>) | | | | | | DE |
| Guggul | (<i>Commiphora mukul</i>) | | VE | | CO2E | | |
| Gurmar | (<i>Gymnema sylvestris</i>) | | | | | | DE |
| Hamamelis | (<i>Hamamelis virginiana</i>) | VE | VE | | | | |
| Hawthorn | (<i>Crataegus monogyna</i>) | | VE | | | DE | DE |
| Hawthorn | (<i>Crataegus oxyacantha</i>) | | | | | | |
| Hazelnut | (<i>Corylus avellana</i>) | | VE | | CO2E | DE | DE |
| Hedge mustard | (<i>Erysimum officinalis</i>) | | | | | | DE |
| Helichrysum | (<i>Helichrysum italicum</i>) | VE | VE | | | | |
| Helichrysum italicum | (<i>Helichrysum italicum</i>) | VE | VE | | | | |
| Hemp | (<i>Cannabis sativa</i>) | | VE | | | | |
| Henna | (<i>Lawsonia inermis</i>) | VE | VE | | | | |
| Herb Robert | (<i>Geranium robertianum</i>) | | VE | | | | |
| Hibiscus | (<i>Hibiscus sabdariffa</i>) | VE | VE | | | | |
| Holly | (<i>Ilex aquifolium</i>) | | VE | | | | |
| Honeysuckle | (<i>Lonicera caprifolium</i>) | VE | VE | | | | |
| Hops | (<i>Humulus lupulus</i>) | VE | VE | CO2E | CO2E | | |
| Horny goat weed | (<i>Epimedium grandiflorum</i>) | | VE | | | | |
| Horse Chestnut | (<i>Aesculus hippocastanum</i>) | VE | VE | | | | |
| Horseradish | (<i>Armoratia lapathifolia</i>) | | | | | | DE |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROGLYCERINATED) | CONVENTIONAL VEGETABLE EXTRACTS (HYDROGLYCOLIC OR INFUSED)**** | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|---------------------|---|--|--|---------------------|--------------------------|-----------------------|----------------------------|
| Horsetail | (<i>Equisetum arvense</i>) | VE | VE | | | | |
| Horseweed | (<i>Erigeron canadensis</i>) | | | | | | DE |
| Hyssop | (<i>Hyssopus officinalis</i>) | VE | VE | | | | |
| Iceland moss | (<i>Cetraria islandica</i>) | | VE | | | | |
| Incense | (<i>Boswellia carterii, B. Serrata</i>) | | VE | | CO2 | | |
| Iris | (<i>Iris germanica</i>) | VE | VE | CO2 | CO2 | | |
| Irish moss | (<i>Chondrus crispus</i>) | | VE | | | | |
| Ivy | (<i>Hedera helix</i>) | VE | VE | | | | |
| Jambu | (<i>Acmella oleracea</i>) | | VE | | | | |
| Jasmine | (<i>Jasminum grandiflorum</i>) | | VE | | | | |
| Jasmine | (<i>Jasminum officinalis</i>) | VE | VE | | | | |
| Jerusalem Artichoke | (<i>Helianthus tuberosus</i>) | | | | | | DE |
| Johnny Jump up | (<i>Viola tricolor</i>) | VE | VE | | | | |
| Juniper berry | (<i>Juniperus communis</i>) | VE | VE | CO2 | CO2 | | |
| Kaki / Persimmon | (<i>Diospyros Kaki</i>) | | | | | | DE |
| Kigelia africana | (<i>Kigelia africana</i>) | VE | VE | | | | |
| Kinkeliba | (<i>Combretum micranthum</i>) | | | | | | DE |
| Kiwifruit | (<i>Actinidia chinensis</i>) | VE | VE | | | | |
| Kola | (<i>Cola nitida</i>) | | | | | DE | DE |
| Kola nut | (<i>Cola acuminata</i>) | | VE | | | | |
| Konjac | (<i>Amorphophallus konjac</i>) | | | | | | DE |
| Kudzu | (<i>Pueraria lobata</i>) | | | | | | DE |
| Labdanum | (<i>Cistus ladanifer</i>) | VE | VE | | | | |
| Laminaria | (<i>Laminaria digitata</i>) | VE | VE | | | | |
| Lapacho | (<i>Tabebuia impetiginosa</i>) | | | | | | DE |
| Laurel | (<i>Laurus nobilis</i>) | VE | VE | | | | |
| Lavandin | (<i>Lavandula hybrida</i>) | | VE | | | | |
| Lavender | (<i>Lavandula officinalis, L. angustifolia</i>) | VE | VE | CO2 | CO2 | | |
| Leech | (<i>Hirudo medicinalis</i>) | | VE | | | | |
| Lemon | (<i>Citrus limonum</i>) | VE | VE | | | | |
| Lemon myrtle | (<i>Backhousia citriodora</i>) | | | CO2 | CO2 | | |
| Lemon Verbena | (<i>Lippia citriodora</i>) | | | | | | DE |
| Lentils | (<i>Lens culinaris</i>) | | VE | | | | |
| Lespedeza | (<i>Lespedeza capitata</i>) | | | | | | DE |
| Lichwort | (<i>Parietaria officinalis</i>) | | VE | | | | |
| Licorice | (<i>Glycyrrhiza glabra</i>) | VE | VE | CO2 | CO2 | | |
| Lily | (<i>Lilium candidum</i>) | VE | VE | | | | |
| Lime | (<i>Citrus aurantifolia</i>) | VE | VE | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROGLYCERINATED, HYDROGLYCOLIC OR INFUSED****) | CONVENTIONAL VEGETABLE EXTRACTS (HYDROGLYCERINATED, HYDROGLYCOLIC OR INFUSED****) | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|-----------------------|---|--|---|---------------------|--------------------------|-----------------------|----------------------------|
| Lime tree | (<i>Tilia platyphyllos</i>) | VE | VE | | | | |
| Lingonberry | (<i>Vaccinium vitis idaea</i>) | | | | | | DE |
| Linseed | (<i>Linum usitatissimum</i>) | VE | VE | | | | |
| Lithothamnium seaweed | (<i>Lithothamnium calcareum</i>) | | VE | | | | |
| Loto | (<i>Nelumbo nucifera</i>) | | VE | | | | |
| Lotus | (<i>Lotus corniculatus</i>) | VE | VE | | | | |
| Lovage | (<i>Levisticum officinale</i>) | | | | CO2 | | DE |
| Luffa | (<i>Luffa aegyptiaca</i>) | | VE | | | | |
| Lychee | (<i>Litchi chinensis</i>) | | VE | | | | |
| Lythrum salicaria | (<i>Lythrum salicaria</i>) | VE | VE | | | | |
| Maca | (<i>Lepidium meyenii</i>) | VE | VE | | | DE | DE |
| Magnolia | (<i>Magnolia officinalis</i>) | | | | | | DE |
| Magnolia | (<i>Michelia alba</i>) | | VE | | | | |
| Mallow | (<i>Malva sylvestris</i>) | VE | VE | | | | |
| Mandarin | (<i>Citrus nobilis</i>) | | | | | | DE |
| Mandarin | (<i>Citrus reticulata</i>) | | VE | | | | |
| Mandioca | (<i>Manihot esculenta</i>) | | VE | | | | |
| Mango | (<i>Mangifera indica</i>) | VE | VE | | | DE | DE |
| Mangosteen | (<i>Garcinia mangostana</i>) | | | | | DE | DE |
| Marapuama | (<i>Ptychopetalum olacoides</i>) | | VE | | | | |
| Marigold / Calendula | (<i>Calendula officinalis</i>) | VE | VE | CO2 | CO2 | | |
| Maritime pine | (<i>Pinus pinaster</i>) | | VE | | | | |
| Marshmallow | (<i>Althaea officinalis</i>) | VE | VE | | | | |
| Meadowfoam | (<i>Limnanthes alba</i>) | | VE | | | | |
| Meadowsweet | (<i>Filipendula ulmaria, Spirea ulmaria</i>) | VE | VE | | | | |
| Melissa | (<i>Melissa officinalis</i>) | VE | VE | CO2 | CO2 | DE | DE |
| Milk Thistle | (<i>Silybum marianum</i>) | VE | VE | | | | |
| Milk Thistle | (<i>Sylibum marianum</i>) | VE | VE | | | | |
| Millet | (<i>Panicum miliaceum</i>) | VE | VE | CO2 | CO2 | | |
| Minor plantain | (<i>Plantago lanceolata</i>) | | VE | | | | |
| Mint | (<i>Mentha arvensis, M. piperita, M. spicata nana, M. viridis, M. pulegium</i>) | VE | VE | | | | |
| Mistletoe | (<i>Viscum album</i>) | VE | VE | | | | |
| Monoï | (<i>Gardenia Taitensis</i>) | VE | VE | | | | |
| Monoï Tahiti | | VE | VE | | | | |
| Moringa | (<i>Moringa oleifera</i>) | | | | | | DE |
| Motherwort | (<i>Leonurus cardiaca</i>) | | | | | | DE |
| Mountain pine | (<i>Pinus mugo pumilio</i>) | VE | VE | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROLYCERINATED, HYDROALCOHOLIC OR INFUSED)**** | CONVENTIONAL VEGETABLE EXTRACTS (VE) | ORGANIC CO2 EXTRACT (CO2E) | CONVENTIONAL CO2 EXTRACT (CO2E) | ORGANIC DRIED EXTRACT (DE) | CONVENTIONAL DRIED EXTRACT (DE) |
|------------------------|---|--|--------------------------------------|----------------------------|---------------------------------|----------------------------|---------------------------------|
| Mousear Hawkweed | (<i>Hieracium pilosella</i>) | | | | | DE | DE |
| Mugwort | (<i>Artemisia vulgaris</i>) | | VE | | | | |
| Mugwort white | (<i>Artemisia herba-alba</i>) | | | | | | |
| Mulberry | (<i>Morus alba</i>) | VE | VE | | | | |
| Mullein | (<i>Verbascum densiflorum</i>) | | | | | DE | DE |
| Mullein | (<i>Verbascum thapsus</i>) | | | | | | DE |
| Murumuru | (<i>Astrocaryum murumuru</i>) | | VE | | | | |
| Mushroom | (<i>Agaricus campestris</i>) | | VE | | | | |
| Musk | (<i>Hibiscus abelmoschus</i>) | | | | CO2E | | |
| Mustard | (<i>Sinapis alba</i>) | | VE | | | | |
| Myrrh | (<i>Commiphora myrrha</i>) | VE | VE | CO2E | CO2E | | |
| Myrtle | (<i>Myrtus communis</i>) | VE | VE | | | | |
| Nasturtium | (<i>Tropaeolum majus</i>) | VE | | | | | |
| Neem high azadirachtin | (<i>Azadirachta indica</i>) | VE | | | | | |
| Neroli | (<i>Citrus aurantium amara</i>) | VE | | | | | |
| Nettle | (<i>Urtica dioica</i>) | VE | VE | | | | |
| Noni | (<i>Morinda citrifolia</i>) | | | | | | DE |
| Nutmeg | (<i>Myristica fragrans</i>) | | VE | | CO2E | DE | DE |
| Oak | (<i>Quercus petraea</i>) | | | | | | DE |
| Oak | (<i>Quercus robur</i>) | VE | VE | | | | |
| Oat | (<i>Avena sativa</i>) | VE | VE | | | | |
| Olive | (<i>Olea europaea</i>) | VE | VE | | | | |
| Onion | (<i>Allium cepa</i>) | | VE | | | | |
| Orange | (<i>Citrus sinensis</i>) | VE | VE | | | | |
| Orchid | (<i>Orchis morio</i>) | | VE | | | | |
| Orchid tropical | (<i>Dendrobium Phalaenopsis</i>) | | VE | | | | |
| Oregano | (<i>Origanum beacleoticum</i>) | VE | VE | | | | |
| Oregano vulgare | (<i>Origanum vulgare</i>) | | VE | CO2E | CO2E | DE | DE |
| Oregon | (<i>Berberis aquifolium</i>) | | VE | | | | |
| Oriental plane | (<i>Platanus orientalis</i>) | VE | VE | | | | |
| Orthosiphon | (<i>Orthosiphon stamineus</i>) | | | | | | DE |
| Padina | (<i>Padina pavonica</i>) | | VE | | | | |
| Pale purple coneflower | (<i>Echinacea pallida</i>) | | | | | | DE |
| Palmaria | (<i>Palmaria palmata</i>) | | | | | | DE |
| Papaya | (<i>Carica papaya</i>) | VE | VE | | | | |
| Parsley | (<i>Petroselinum sativum, P. crispum</i>) | VE | VE | CO2E | CO2E | | |
| Passion Fruit | (<i>Passiflora edulis</i>) | VE | VE | | | | |
| Passionflower | (<i>Passiflora incarnata</i>) | VE | VE | | | | |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROALCOHOLICATED, HYDROALCOHOLIC OR INFUSED****) | CONVENTIONAL VEGETABLE EXTRACTS (HYDROALCOHOLICATED, HYDROALCOHOLIC OR INFUSED****) | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|--------------------|-------------------------------------|--|---|---------------------|--------------------------|-----------------------|----------------------------|
| Pea | <i>(Pisum sativum)</i> | | VE | | | | |
| Peach | <i>(Prunus persica)</i> | VE | VE | | | | |
| Peanut | <i>(Arachis hypogaea)</i> | | | | VE | | |
| Pear | <i>(Pyrus communis)</i> | VE | VE | | | | |
| Pennyroyal | <i>(Mentha pulegium)</i> | VE | VE | | | | |
| Peony | <i>(Paeonia officinalis)</i> | | VE | | | | |
| Pepper | <i>(Capsicum annuum)</i> | VE | VE | VE | VE | | |
| Peppermint | <i>(Mentha piperita)</i> | VE | VE | VE | VE | | |
| Petit Grain | <i>(Citrus aurantium amara)</i> | | VE | | | | |
| Pine | <i>(Pinus sylvestris)</i> | | | | | | VE |
| Pineapple | <i>(Ananas sativus)</i> | VE | VE | | | VE | VE |
| Pistachio | <i>(Pistacia vera)</i> | | VE | | | | |
| Plum | <i>(Prunus domestica)</i> | | | | | | VE |
| Polen | <i>(Pollen)</i> | VE | VE | | | | |
| Polygala | <i>(polygala vulgaris)</i> | | VE | | | | |
| Pomegranate | <i>(Punica granatum)</i> | VE | VE | VE | VE | | |
| Poppy _ California | <i>(Eschscholtzia californica)</i> | | VE | | | | |
| Poppy | <i>(Papaver rhoeas)</i> | VE | VE | | | | |
| Poppy | <i>(Papaver somniferum)</i> | VE | VE | | | | |
| Potato | <i>(solanum tuberosum)</i> | | VE | | | | |
| Prickly pear | <i>(Opuntia ficus indica)</i> | VE | VE | | | | |
| Prickly uniuniper | <i>(Juniperus oxycedrus)</i> | VE | VE | | | | |
| Propolis | <i>(Propolis)</i> | VE | VE | | | | |
| Psyllium | <i>(Plantago ovata)</i> | | | | | | VE |
| Pumpkin | <i>(Cucurbita pepo)</i> | VE | VE | | | VE | VE |
| Purple coneflower | <i>(Echinacea purpurea)</i> | VE | VE | VE | VE | | |
| Pygeum | <i>(Pygeum africanum)</i> | | | | | | VE |
| Quillay | <i>(Quillaia saponaria)</i> | VE | VE | | | | |
| Quince | <i>(Pyrus cydonia)</i> | VE | VE | | | | |
| Quinoa | <i>(Chenopodium quinoa)</i> | VE | VE | | | | |
| Raspberry | <i>(Rubus idaeus)</i> | VE | VE | VE | VE | | |
| Red chinchona | <i>(Cinchona pubescens)</i> | | VE | | | | |
| Red clover | <i>(Trifolium pratense)</i> | | VE | | | | |
| Red Gromwell | <i>(Lithospermum erythrorhizon)</i> | | | | VE | | |
| Red Stinkwood | <i>(Prunus africana)</i> | | VE | | | | |
| Reishi | <i>(Ganoderma lucidum)</i> | | VE | | | | |
| Rhatany | <i>(Krameria lappacea)</i> | | VE | | VE | | |
| Rhodiola | <i>(Rhodiola rosea)</i> | | | | VE | VE | VE |


**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROLYZED, HYDROLYZED OR INFUSED)**** | CONVENTIONAL VEGETABLE EXTRACTS (HYDROLYZED, HYDROLYZED OR INFUSED)**** | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|-----------------|--|--|---|---------------------|--------------------------|-----------------------|----------------------------|
| Rhubarb | <i>(Rheum palmatum)</i> | | VE | | | | |
| Rhubarb | <i>(Rheum rhaponticum)</i> | | | | | DE | DE |
| Rice bran | <i>(Oryza sativa)</i> | VE | VE | | | | |
| Rocket salad | <i>(Eruca vesicaria)</i> | | VE | | | | |
| Rooibos | <i>(Aspalathus linearis)</i> | | VE | | | DE | DE |
| Rose | <i>(Rosa damascena)</i> | VE | VE | | | | |
| Rose Centifolia | <i>(Rose centifolia)</i> | VE | VE | | | | |
| Rosehip | <i>(Rosa canina)</i> | VE | VE | CO2 | CO2 | | |
| Rosehip | <i>(Rosa moschata)</i> | VE | VE | | | | |
| Rosemary | <i>(Rosmarinus officinalis)</i> | VE | VE | CO2 | CO2 | | |
| Royal jelly | <i>(Royal jelly)</i> | | VE | | | | |
| Rue | <i>(Ruta)</i> | | VE | | | | |
| Rye | <i>(Secale cereale)</i> | VE | VE | | | | |
| Safflower | <i>(Carthamus tinctorius)</i> | | | | | | DE |
| Saffron | <i>(Crocus sativus)</i> | | | | | DE | DE |
| Sage | <i>(Salvia lavandulifolia, S. officinalis, S. sclarea)</i> | VE | VE | CO2 | CO2 | | |
| Sage | <i>(Salvia Officinalis)</i> | VE | VE | | | | |
| Sage | <i>(Salvia sclarea)</i> | | | | | | DE |
| Sage triloba | <i>(Salvia triloba, S.fruticosa)</i> | | | CO2 | CO2 | | |
| Salmon | <i>(Salmo ovum)</i> | | VE | | | | |
| Sandalwood | <i>(Pterocarpus soyauxii)</i> | | VE | | | | |
| Sandalwood | <i>(Santalum album, S. austrocaledonicum)</i> | | VE | | | | |
| Sarsaparilla | <i>(Smilax medica)</i> | | VE | | | | |
| Saw Palmetto | <i>(Serenoa repens)</i> | | | | | | DE |
| Saw Palmetto | <i>(Serrenoa repens)</i> | | VE | | | | |
| Schizandra | <i>(Schizandrae chinensis)</i> | | | | CO2 | | DE |
| Scotch Heath | <i>(Erica cinerea)</i> | | | | | | DE |
| Scotch heather | <i>(Calluna vulgaris)</i> | VE | VE | | | | |
| Sea Fennel | <i>(Crithmum maritimum)</i> | VE | VE | | | | |
| Sea Letiuce | <i>(Ulva lactuca)</i> | | | | | | DE |
| Seabuckthorn | <i>(Hippophae rhamnoides)</i> | VE | VE | CO2 | CO2 | | |
| Senna | <i>(Cassia angustifolia)</i> | | | | | DE | DE |
| Sequoia | <i>(Sequoiadendron giganteum)</i> | VE | VE | | | | |
| Sesame | <i>(Sesamum indicum)</i> | | VE | | | | |
| Shea | <i>(Butyrospermum Parkii)</i> | | VE | | | | |
| Shiitake | <i>(Lentinula edodes, Lentinus edodes)</i> | | | | | DE | DE |
| Silkworm | <i>(Bombyx mori)</i> | | VE | | | | |
| Silver birch | <i>(Betula berrucosa)</i> | VE | VE | | | | |

*** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROALCOHOLICATED, HYDROALCOHOLIC OR INFUSED****) | CONVENTIONAL VEGETABLE EXTRACTS (HYDROALCOHOLIC OR INFUSED****) | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|------------------|---|--|---|---------------------|--------------------------|-----------------------|----------------------------|
| Silver fir | (<i>Abies alba</i>) | VE | VE | | | | |
| Silver lime | (<i>Tilia tormentosa</i>) | VE | VE | | | | |
| Slippery Elm | (<i>Ulmus fulva</i>) | | | | | | VE |
| Soapbark | (<i>Quillaja saponaria</i>) | | | | | | VE |
| Soapwort | (<i>Saponaria officinalis</i>) | VE | VE | | | | |
| Sophora japonica | (<i>Sophora japonica</i>) | | VE | | | | |
| Soybean | (<i>Glycine soja</i>) | | VE | | | | VE |
| Spearmint | (<i>Mentha spicata</i>) | VE | VE | | | | |
| Spinach | (<i>Spinacia oleracea</i>) | | VE | | | | |
| Spirulina | (<i>Spirulina maxima</i>) | VE | VE | | | | |
| St Johns Wort | (<i>Hypericum perforatum</i>) | VE | VE | VE | VE | | |
| Star Anise | (<i>Illicium verum</i>) | VE | VE | VE | VE | | |
| Starfish | (<i>Asterina gibbosa</i>) | | VE | | | | |
| Stoneseed | (<i>Lithospermum arvense</i>) | | | | | | VE |
| Strawberry | (<i>Fragaria vesca</i>) | VE | VE | | | | |
| Strawberry tree | (<i>Arbutus unedo</i>) | | VE | | | | |
| Sugar | (<i>Saccharum Officinarum</i>) | | VE | | | | |
| Summer Savory | (<i>Satureja hortensis</i>) | | VE | | | | |
| Summer Truffle | (<i>Tuber aestivum</i>) | | VE | | | | |
| Sunflower | (<i>Helianthus annuus</i>) | | VE | | | | |
| Sweet fennel | (<i>Foeniculum vulgare var. dulce</i>) | VE | VE | | | | |
| Sweet marjoram | (<i>Origanum majorana</i>) | VE | VE | VE | VE | | |
| Sweet Woodruff | (<i>Galium odoratum</i>) | | | | | | VE |
| Swertia japonica | (<i>Swertia japonica</i>) | | VE | | | | |
| Tagetes | (<i>Tagetes minuta</i>) | | | | VE | | |
| Tamarind | (<i>Tamarindus indica</i>) | | VE | | | | |
| Tamarix | (<i>Tamarix gallica</i>) | VE | VE | | | | |
| Tea Java | (<i>Orthosiphon aristatus</i>) | | VE | | | | |
| Tea Tree | (<i>Melaleuca alternifolia</i>) | | VE | | | | |
| Tepezcohuite | (<i>Mimosa tenuiflora</i>) | VE | VE | | | | |
| Thistle | (<i>Silybum marianum</i>) | | VE | | | | |
| Thyme | (<i>Thymus serpyllum</i>) | | VE | | | | |
| Thyme | (<i>Thymus vulgaris, T. zygis</i>) | VE | VE | VE | VE | | |
| Tilia | (<i>Tilia cordata</i>) | | | | | VE | VE |
| Tilia | (<i>Tilia sylvestris</i>) | | | | | | VE |
| Tomato | (<i>Solanum lycopersicum</i>) | VE | VE | | | VE | VE |
| Tormentil | (<i>Potentilla erecta</i>) | | VE | | | | |
| Turmeric | (<i>Curcuma xanthorrhiza, C. longa</i>) | VE | VE | VE | VE | | |

**** Infused in some different oils





| TRADENAME | BOTANICAL NAME | ORGANIC VEGETABLE EXTRACTS (HYDROLYZED, HYDROLYZED OR INFUSED)**** | CONVENTIONAL VEGETABLE EXTRACTS | ORGANIC CO2 EXTRACT | CONVENTIONAL CO2 EXTRACT | ORGANIC DRIED EXTRACT | CONVENTIONAL DRIED EXTRACT |
|---------------------|---|--|---------------------------------|---------------------|--------------------------|-----------------------|----------------------------|
| Usnea | (<i>Usnea barbata</i>) | | | | | | |
| Valeriana común | (<i>Valeriana officinalis</i>) | | | | | | |
| Valeriana jatamansi | (<i>Valeriana wallichii</i>) | | | | | | |
| Vanilla | (<i>Vanilla planifolia, V. tahitensis</i>) | | | | | | |
| Verbena | (<i>Verbena officinalis</i>) | | | | | | |
| Violet | (<i>Viola odorata</i>) | | | | | | |
| Wakame | (<i>Undaria pinnatifida</i>) | | | | | | |
| Walnut | (<i>Juglans regia</i>) | | | | | | |
| Water Lily | (<i>Nymphaea alba</i>) | | | | | | |
| Watercress | (<i>Nasturtium officinale</i>) | | | | | | |
| Watermelon | (<i>Citrullus lanatus</i>) | | | | | | |
| Wheat germ | (<i>Triticum vulgare</i>) | | | | | | |
| White alder | (<i>Alnus incana</i>) | | | | | | |
| White elm | (<i>Ulmus glabra</i>) | | | | | | |
| White nettle | (<i>Lamium album</i>) | | | | | | |
| White tea | (<i>Camellia sinensis</i>) | | | | | | |
| White willow | (<i>Salix alba</i>) | | | | | | |
| Wild mint | (<i>Mentha arvensis</i>) | | | | | | |
| Wild thyme | (<i>Thymus serpyllum</i>) | | | | | | |
| Winter Savory | (<i>Satureja montana</i>) | | | | | | |
| Wintergreen | (<i>Gaultheria fragrantissima, G. procumbens</i>) | | | | | | |
| Wormwood | (<i>Artemisia absinthium</i>) | | | | | | |
| Yam | (<i>Dioscorea villosa</i>) | | | | | | |
| Yam opposita | (<i>Dioscorea opposita</i>) | | | | | | |
| Yam Villosa | (<i>Dioscorea villosa</i>) | | | | | | |
| Yarrow | (<i>Achillea millefolium</i>) | | | | | | |
| Yellow horned-poppo | (<i>Glaucium flavum</i>) | | | | | | |
| Yellow melilot | (<i>Melilotus officinalis</i>) | | | | | | |
| Yerba mate | (<i>Ilex paraguariensis</i>) | | | | | | |
| Ylang-Ylang | (<i>Cananga odorata</i>) | | | | | | |
| Zahareña | (<i>Sideritis angustifoli</i>) | | | | | | |


**** Infused in some different oils

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



SEEDS, SCRUBS, DRIED PLANTS & SEAWEED

Seeds, scrubs, dried plants and seaweed of the highest purity and quality, from those parts of the planet where they occur.





SEEDS & SCRUBS

Of
**the highest
purity and quality,**
from those parts of
the world where
they are
produced.

They conserve their properties and therapeutic and nutritional qualities in a dehydrated state.

SEEDS

Grain contained inside the fruit of a plant that germinates and gives rise to a new plant of the same species, under the appropriate conditions.

The seeds stand out in their cosmetic use due to their high fatty acid content, which allows natural oils to be obtained whose properties are used in a multitude of personal care solutions.

SCRUBS




































































Natural exfoliants are 100% pure and natural preparations, of vegetable origin, derived from plants and fruits that, once dried, are subjected to a mechanical process of crushing and sieving giving rise to a granulitic solid product of different thicknesses that serve as a base for the elaboration of multiple cosmetic products for personal care and cellular regeneration of the dermis.






































We offer
the cosmetic,
pharmaceutical and food
industries the experience to
**innovate in their formulations
by accessing new and
exotic raw materials,**
together with traditional
ingredients.





| TRADENAME | BOTANICAL NAME |  ORGANIC SEED |  CONVENTIONAL SEED |  ORGANIC SCRUBS |  CONVENTIONAL SCRUBS |
|-------------------|---|--|---|--|---|
| Almond | <i>(Prunus amygdalus dulcis)</i> | | |  |  |
| Amaranth | <i>(Amaranthus caudatus)</i> |  |  | | |
| Angelica | <i>(Angelica archangelica)</i> |  |  | | |
| Anise | <i>(Pimpinella anisum)</i> |  |  | | |
| Apricot | <i>(Prunus armeniaca)</i> | | |  |  |
| Argan | <i>(Argania espinosa)</i> | | |  |  |
| Bamboo | <i>(Bambusa vulgaris)</i> | | |  |  |
| Bamboo | <i>(Phyllostachys bambusoides)</i> | | |  |  |
| Baobab | <i>(Adansonia digitata)</i> | | |  |  |
| Bitter orange | <i>(Citrus Aurantium Amara)</i> | | |  |  |
| Black cumin | <i>(Nigella sativa)</i> |  |  | | |
| Black pepper | <i>(Piper nigrum)</i> | |  | | |
| Blackberry | <i>(Rubus fruticosus)</i> | |  | | |
| Blackcurrant | <i>(Ribes nigrum)</i> | |  |  |  |
| Caraway | <i>(Carum carvi)</i> |  | | | |
| Cardamom | <i>(EleMaria cardamomum)</i> |  | | | |
| Celery | <i>(Apium graveolens)</i> |  | | | |
| Centella asiatica | <i>(Centella asiatica)</i> |  | | | |
| Cherry | <i>(Prunus avium)</i> | | | |  |
| Chia | <i>(Salvia hispanica)</i> |  |  | | |
| Cocoa | <i>(Theobroma cacao)</i> | | | |  |
| Coconut | <i>(Cocos nucifera)</i> | | |  |  |
| Coffee bean | <i>(Coffea arabica)</i> | | |  |  |
| Coriander | <i>(Coriandrum sativum)</i> | |  | | |
| Cranberry | <i>(Vaccinium macrocarpon)</i> | |  |  |  |
| Cucumber | <i>(Cucumis sativus)</i> | |  | | |
| Dill | <i>(Anethum graveolens)</i> | |  | | |
| Fennel | <i>(Foeniculum officinale)</i> | |  | | |
| Fennel | <i>(Foeniculum vulgare)</i> |  |  | | |
| Flax | <i>(Linum usitatissimum)</i> | |  | | |
| French rose | <i>(Rosa gallica)</i> | | | |  |
| Ginger | <i>(Zingiber officinalis)</i> | | | |  |
| Grapeseed | <i>(Vitis vinifera)</i> | | |  |  |
| Green tea | <i>(Camellia sinensis)</i> | | |  |  |
| Griffonia | <i>(Griffonia simplicifolia)</i> | |  | | |
| Hemp | <i>(Cannabis sativa)</i> |  |  |  |  |
| Horse Chestnut | <i>(Aesculus hippocastanum)</i> | |  | | |
| Lavender | <i>(Lavandula officinalis, L. angustifolia)</i> | | |  |  |



| TRADENAME | BOTANICAL NAME |  ORGANIC SEED |  CONVENTIONAL SEED |  ORGANIC SCRUBS |  CONVENTIONAL SCRUBS |
|---------------|--|--|---|--|---|
| Lemon | (<i>Citrus limonum</i>) | | | |  |
| Lotus | (<i>Lotus corniculatus</i>) | | | |  |
| Lotus | (<i>Nelumbo nucifera</i>) | | | |  |
| Lychee | (<i>Litchi chinensis</i>) | | | |  |
| Musk | (<i>Hibiscus abelmoschus</i>) | | |  |  |
| Mustard | (<i>Sinapis alba</i>) | |  | | |
| Nettle | (<i>Urtica dioica</i>) | | |  |  |
| Olive | (<i>Olea europaea</i>) | | |  |  |
| Orange | (<i>Citrus sinensis</i>) | | | |  |
| Passion Fruit | (<i>Passiflora edulis</i>) | | | |  |
| Peach | (<i>Prunus persica</i>) | | | |  |
| Pomegranate | (<i>Punica granatum</i>) | | | |  |
| Prickly pear | (<i>Opuntia ficus indica</i>) | | | |  |
| Raspberry | (<i>Rubus idaeus</i>) | |  |  |  |
| Rice bran | (<i>Oryza sativa</i>) | | |  |  |
| Rosehip | (<i>Rosa canina</i>) | | |  |  |
| Sea Fennel | (<i>Crithmum maritimum</i>) | |  | | |
| Sesame | (<i>Sesamum indicum</i>) | |  | | |
| Shea | (<i>Butyrospermum Parkii</i>) | | |  |  |
| Strawberry | (<i>Fragaria vesca</i>) | |  | | |
| Tamanu | (<i>Calophyllum inophyllum</i>) | | | |  |
| Vanilla | (<i>Vanilla planifolia, V. tahitensis</i>) | | | |  |
| Walnut | (<i>Juglans regia</i>) | | | |  |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



DRIED PLANTS & SEAWEED

They conserve their properties and therapeutic and nutritional qualities in a dehydrated state.



Of the **highest purity and quality**, from those parts of the world where they are produced.

We offer the cosmetic, pharmaceutical and food industries the experience to **innovate in their formulations by accessing new and exotic raw materials**, junto a los ingredientes tradicionales.

DRIED PLANTS









































































Dried plants are obtained through the natural drying process of the different plants and fruits, preserving their properties and therapeutic qualities in a dehydrated state. They are the basis for a multitude of cosmetic and food applications such as absolutes, extracts and oleoresins.

SEAWEEDS

Seaweeds are aquatic plants that live on the seabed. They grow wild and have multiple properties and are used in a wide range of applications, from cosmetic applications to gastronomic and dietary products and the production of clean energy and biodiesel. Seaweeds are very varied and versatile natural resources, appreciated in sectors such as cosmetics, pharmaceuticals, food and gastronomy, and industries such as green energy.





| TRADENAME | BOTANICAL NAME |  ORGANIC DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  CONVENTIONAL DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  ORGANIC SEAWEED |  CONVENTIONAL SEAWEED |
|--------------------------|---|---|--|---|--|
| Abrotano | (<i>Artemisia abrotanum</i>) | |  | | |
| Acerola | (<i>Malpighia glabra</i>) |  |  | | |
| Agrimony | (<i>Agrimonia eupatoria</i>) |  |  | | |
| Alchemilla | (<i>Alchemilla vulgaris</i>) |  |  | | |
| Alder Buckthorn | (<i>Rhamnus frangula</i>) |  |  | | |
| Alfalfa | (<i>Medicago sativa</i>) |  |  | | |
| Allspice | (<i>Pimenta officinalis, P. dioica</i>) |  |  | | |
| Aloe Vera | (<i>Aloe barbadensis</i>) |  |  | | |
| Andrographis - Maha tita | (<i>Andrographis paniculata</i>) |  |  | | |
| Angelica | (<i>Angelica archangelica</i>) |  |  | | |
| Anise | (<i>Pimpinella anisum</i>) | |  | | |
| Arenaria | (<i>Arenaria montana</i>) | |  | | |
| Arjuna | (<i>Terminalia arjuna</i>) |  |  | | |
| Arnica | (<i>Arnica montana</i>) |  |  | | |
| Arnica Mexico | (<i>Heterotheca inuloides</i>) | |  | | |
| Artichoke | (<i>Cynara scolymus</i>) |  |  | | |
| Ascophyllum | (<i>Ascophyllum nodosum</i>) | | |  |  |
| Ash Tree | (<i>Fraxinus excelsior</i>) | |  | | |
| Ashwagandha | (<i>Withania somnifera</i>) |  |  | | |
| Ashwagandha | (<i>Withania Somnifera</i>) |  |  | | |
| Astragalous | (<i>Astragalus membranaceus</i>) |  |  | | |
| Avipattikar | |  |  | | |
| Bala | (<i>Sida cordifolia</i>) |  |  | | |
| Baobab | (<i>Adansonia digitata</i>) |  |  | | |
| Barley | (<i>Hordeum vulgare</i>) |  |  | | |
| Basil | (<i>Ocimum basilicum</i>) |  |  | | |
| Beans | (<i>Phaseolus vulgaris</i>) | |  | | |
| Bearberry | (<i>Arctostaphylos uva ursi</i>) |  |  | | |
| Beet | (<i>Beta vulgaris</i>) |  |  | | |
| Betony | (<i>Stachys officinalis</i>) |  |  | | |
| Bhringaraj | (<i>Eclipta prostrata</i>) |  |  | | |
| Bhumialaki | (<i>Phyllanthus amarus</i>) |  |  | | |
| Bilberry | (<i>Vaccinium myrtillus</i>) |  |  | | |
| Black Cohosh | (<i>Cimicifuga racemosa</i>) |  |  | | |
| Black cumin | (<i>Nigella sativa</i>) |  |  | | |
| Black pepper | (<i>Piper nigrum</i>) |  |  | | |
| Black tea | (<i>Camellia sinensis</i>) | |  | | |
| Blackcurrant | (<i>Ribes nigrum</i>) | |  | | |






































































ASK FOR OUR
FOOD GRADE
RAW MATERIALS





| TRADENAME | BOTANICAL NAME |  ORGANIC DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  CONVENTIONAL DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  ORGANIC SEAWEED |  CONVENTIONAL SEAWEED |
|-------------------|---|---|--|---|--|
| Bladderwrack | (<i>Fucus vesiculosus</i>) |  |  | | |
| Bloodroot | (<i>Sanguinaria canadensis</i>) | |  | | |
| Boldo | (<i>Peumus boldus</i>) | |  | | |
| Borage | (<i>Borago officinalis</i>) |  |  | | |
| Brave Sorrel | (<i>Rumex crispus</i>) |  |  | | |
| Buchu | (<i>Barosma betulina</i>) |  |  | | |
| Burdock | (<i>Arctium lappa, A. majus</i>) |  |  | | |
| Butchers broom | (<i>Ruscus aculeatus</i>) |  |  | | |
| Camellia | (<i>Camellia oleifera, C. sinensis, C. kissi, C. japonica</i>) |  |  | | |
| Caraway | (<i>Carum carvi</i>) |  |  | | |
| Cardamom | (<i>Elettaria cardamomum</i>) |  |  | | |
| Carob | (<i>Ceratonia siliqua</i>) |  |  | | |
| Carqueixa | (<i>Genista tridentata</i>) | |  | | |
| Carrot | (<i>Daucus carota</i>) |  |  | | |
| Cat's claw | (<i>Uncaria tomentosa</i>) | |  | | |
| Catnip | (<i>Nepeta cataria</i>) |  |  | | |
| Celandine | (<i>Celidonia (Chelidonium majus)</i>) | |  | | |
| Celery | (<i>Apium graveolens</i>) |  |  | | |
| Centella asiatica | (<i>Centella asiatica</i>) |  |  | | |
| Chamomile | (<i>Chamomilla recutita, Ormenis mixta, Chamaemelum nobile, Santolina chamaecyparissus, Anthemis nobilis</i>) | |  | | |
| Cherry | (<i>Prunus avium</i>) | |  | | |
| Cherry Laurel | (<i>Prunus laurocerasus</i>) | |  | | |
| Chervil | (<i>Anthriscus cerefolium</i>) | |  | | |
| Chia | (<i>Salvia hispanica</i>) |  |  | | |
| Chickweed | (<i>Stellaria media</i>) |  |  | | |
| Chicory | (<i>Cichorium intybus</i>) |  |  | | |
| Chilli | (<i>Capsicum frutescens</i>) |  |  | | |
| Chive | (<i>Allium schoenoprasum</i>) | |  | | |
| Chlorella | (<i>Chlorella vulgaris</i>) | | |  |  |
| Chondrus crispus | (<i>Chondrus crispus</i>) | | |  |  |
| Cinnamon Bark | (<i>Cinnamomum zeylanicum, C. cassia</i>) |  |  | | |
| Cinnamon Leaf | (<i>Cinnamomum zeylanicum, C. cassia</i>) |  |  | | |
| Cleavers | (<i>Galium aperiine</i>) |  |  | | |
| Clove | (<i>Syzygium aromaticum, Eugenia caryophyllus</i>) |  |  | | |
| Clove Basil | (<i>Ocimum gratissimum</i>) | |  | | |
| Coclearia | (<i>Cochlearia officinalis</i>) | |  | | |
| Cocoa | (<i>Theobroma cacao</i>) |  |  | | |











































































| TRADENAME | BOTANICAL NAME |  ORGANIC DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  CONVENTIONAL DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  ORGANIC SEAWEED |  CONVENTIONAL SEAWEED |
|------------------------|---|---|--|---|--|
| Coltsfoot | <i>(Tussilago officinalis)</i> |  |  | | |
| Comfrey | <i>(Symphytum officinale)</i> |  |  | | |
| Copalchi | <i>(Hintonia latiflora)</i> | |  | | |
| Coriander | <i>(Coriandrum sativum)</i> |  |  | | |
| Corn germ | <i>(Zea mays)</i> |  |  | | |
| Cornflower | <i>(Centaurea cyanus)</i> |  |  | | |
| Couch grass | <i>(Agropyron repens)</i> |  |  | | |
| Couch grass | <i>(Elytrigia repens)</i> | |  | | |
| Cress | <i>(Lepidium sativum)</i> | |  | | |
| Cucumber | <i>(Cucumis sativus)</i> | |  | | |
| Culvers root | <i>(Veronicastrum virginicum)</i> |  |  | | |
| Cumin | <i>(Cuminum cyminum)</i> |  |  | | |
| Cundurango | <i>(Marsdenia condurango)</i> | |  | | |
| Curry | <i>(Murraya koenigii)</i> | |  | | |
| Cypress | <i>(Cupressus sempervirens)</i> | |  | | |
| Damiana | <i>(Turnera diffusa)</i> |  |  | | |
| Dandelion | <i>(Taraxacum officinalis)</i> |  |  | | |
| Dang Gui | <i>(Angelica sinensis)</i> |  |  | | |
| Dashmoola | |  |  | | |
| Devil's Claw slices | <i>(Harpagophytum procumbens)</i> |  |  | | |
| Dill | <i>(Anethum graveolens)</i> |  |  | | |
| Dulse | <i>(Palmaria palmata)</i> | | |  |  |
| Dwarf Mountain Pine | <i>(Pinus mugo pumilio)</i> | |  | | |
| Echinacea angustifolia | <i>(Echinacea angustifolia)</i> |  |  | | |
| Elderberry | <i>(Sambucus nigra)</i> |  |  | | |
| Elecampane | <i>(Inula helenium)</i> |  |  | | |
| Eleutherococcus | <i>(Eleutherococcus senticosus)</i> |  |  | | |
| Epilobium | <i>(Epilobium angustifolium)</i> | |  | | |
| Erisimo | <i>(Sisymbrium officinale)</i> | |  | | |
| Eucalyptus | <i>(Eucalyptus citriodora, E. globulus, E. dives, E. polybractea, E. radiata, E. smithii, E. staigeriana)</i> |  |  | | |
| Eyebright | <i>(Euphrasia spp.)</i> |  |  | | |
| Fennel | <i>(Foeniculum officinale)</i> | |  | | |
| Fennel | <i>(Foeniculum vulgare)</i> |  |  | | |
| Fenugreek | <i>(Trigonella foenum graecum)</i> |  |  | | |
| Feverfew | <i>(Tanacetum parthenium)</i> |  |  | | |
| Flax | <i>(Linum usitatissimum)</i> |  |  | | |
| Fo-ti | <i>(Polygonum multiflorum)</i> |  |  | | |



ASK FOR OUR
FOOD GRADE
RAW MATERIALS





| TRADENAME | BOTANICAL NAME |  ORGANIC DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  CONVENTIONAL DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  ORGANIC SEAWEED |  CONVENTIONAL SEAWEED |
|--------------------|-----------------------------------|---|--|---|--|
| Fucus | (<i>Fucus vesiculosus</i>) | | |  |  |
| Fumitory | (<i>Fumaria officinalis</i>) | |  | | |
| Galanga | (<i>Alpinia galanga</i>) | |  | | |
| Garcinia | (<i>garcinia cambogia</i>) | |  | | |
| Garlic | (<i>Allium sativum</i>) |  |  | | |
| Gatuña | (<i>Ononis spinosa</i>) | |  | | |
| Gentian | (<i>Gentiana lutea</i>) |  |  | | |
| Ginger | (<i>Zingiber officinalis</i>) |  |  | | |
| Ginkgo biloba | (<i>Ginkgo biloba</i>) |  |  | | |
| Ginseng | (<i>Panax ginseng</i>) |  |  | | |
| Goats rue | (<i>Galega officinalis</i>) |  |  | | |
| Goji | (<i>Lycium barbarum</i>) |  |  | | |
| Golden berry | (<i>Physalis peruviana</i>) |  |  | | |
| Golden rod | (<i>Solidago canadensis</i>) |  |  | | |
| Golden seal | (<i>Hydrastis canadensis</i>) |  |  | | |
| Grains of paradise | (<i>Aframomum melegueta</i>) | |  | | |
| Grapeseed | (<i>Vitis vinifera</i>) | |  | | |
| Gravelroot | (<i>Eupatorium purpureum</i>) |  |  | | |
| Greater plantain | (<i>Plantago major</i>) |  |  | | |
| Green tea | (<i>Camellia sinensis</i>) |  |  | | |
| Grindelia | (<i>Grindelia camporum</i>) |  |  | | |
| Guarana | (<i>Paullinia cupana</i>) |  |  | | |
| Guduchi | (<i>Tinospora cordifolia</i>) |  |  | | |
| Guggul | (<i>Commiphora mukul</i>) |  |  | | |
| Gurmar | (<i>Gymnema sylvestre</i>) |  |  | | |
| Hamamelis | (<i>Hamamelis virginiana</i>) |  |  | | |
| Hawthorn | (<i>Crataegus monogyna</i>) |  |  | | |
| Hemp | (<i>Cannabis sativa</i>) |  |  | | |
| Henna | (<i>Lawsonia inermis</i>) |  |  | | |
| Herniaria | (<i>Herniaria glabra</i>) | |  | | |
| Hibiscus | (<i>Hibiscus sabdariffa</i>) |  |  | | |
| Himanthalia | (<i>Himanthalia elongata</i>) | | |  |  |
| Holm oak | (<i>Quercus ilex</i>) | |  | | |
| Honeybusch TBC | (<i>Cyclopia spp</i>) |  |  | | |
| Hops | (<i>Humulus lupulus</i>) |  |  | | |
| Horse Chestnut | (<i>Aesculus hippocastanum</i>) |  |  | | |
| Horseradish | (<i>Amoracia rusticana</i>) |  |  | | |
| Horsetail | (<i>Equisetum arvense</i>) |  |  | | |



| TRADENAME | BOTANICAL NAME |  ORGANIC DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  CONVENTIONAL DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  ORGANIC SEAWEED |  CONVENTIONAL SEAWEED |
|----------------------|---|---|--|---|--|
| Hyssop | <i>(Hyssopus officinalis)</i> |  |  | | |
| Iceland moss | <i>(Cetraria islandica)</i> | |  | | |
| Incense | <i>(Boswellia carterii, B. Serrata)</i> |  |  | | |
| Iris | <i>(Iris germanica)</i> |  |  | | |
| Johnny Jump up | <i>(Viola tricolor)</i> |  |  | | |
| Juniper berry | <i>(Juniperus communis)</i> |  |  | | |
| Jute | <i>(Corchorus olitorius)</i> | |  | | |
| Kapikachhu | <i>(Mucuna pruriens)</i> |  |  | | |
| Laminaria | <i>(Laminaria digitata)</i> | |  | | |
| Laurel | <i>(Laurus nobilis)</i> |  |  | | |
| Lavender | <i>(Lavandula officinalis, L. angustifolia)</i> |  |  | | |
| Lemon | <i>(Citrus limonum)</i> |  |  | | |
| Lemon myrtle | <i>(Backhousia citriodora)</i> |  |  | | |
| Lemon thyme | <i>(Thymus x citriodorus)</i> | |  | | |
| Lemon tree | <i>(Citrus x limon)</i> | |  | | |
| Lemon verbena | <i>(Aloysia citriodora)</i> |  |  | | |
| Lemongrass | <i>(Cymbopogon flexuosus, C. citratus)</i> |  |  | | |
| Licorice | <i>(Glycyrrhiza glabra)</i> |  |  | | |
| Lime tree | <i>(Tilia platyphyllos)</i> |  |  | | |
| Linseed | <i>(Linum usitatissimum)</i> |  |  | | |
| Lithotamnium | <i>(Lithotamnium calcareum)</i> | | |  |  |
| Lovage | <i>(Levisticum officinale)</i> | |  | | |
| Lythrum salicaria | <i>(Lythrum salicaria)</i> | |  | | |
| Maca | <i>(Lepidium meyenii)</i> |  |  | | |
| Mallow | <i>(Malva sylvestris)</i> |  |  | | |
| Manjistha | <i>(Rubia cordifolia)</i> |  |  | | |
| Marigold / Calendula | <i>(Calendula officinalis)</i> |  |  | | |
| Maritime pine | <i>(Pinus pinaster)</i> | |  | | |
| Marjoram | <i>(Majorana hortensis)</i> | |  | | |
| Marshmallow | <i>(Althaea officinalis)</i> |  |  | | |
| Meadowsweet | <i>(Filipendula ulmaria, Spirea ulmaria)</i> |  |  | | |
| Melissa | <i>(Melissa officinalis)</i> |  |  | | |
| Micromeria fruticosa | <i>(Micromeria fruticosa)</i> | |  | | |
| Milk Thistle | <i>(Silybum marianum)</i> |  |  | | |
| Minor plantain | <i>(Plantago lanceolata)</i> |  |  | | |
| Mint | <i>(Mentha arvensis, M. piperita, M. spicata nana, M. viridis, M. pulegium)</i> |  |  | | |
| Mistletoe | <i>(Viscum album)</i> |  |  | | |








































































| TRADENAME | BOTANICAL NAME | ORGANIC DRIED PLANTS Cuttid / Micronized / Powder | CONVENTIONAL DRIED PLANTS Cuttid / Micronized / Powder | ORGANIC SEAWEED | CONVENTIONAL SEAWEED |
|-----------------------|---|--|---|-----------------|----------------------|
| Moringa | (<i>Moringa oleifera</i>) | | | | |
| Morning glory | (<i>Convolvulus arvensis</i>) | | | | |
| Motherwort | (<i>Leonurus cardiaca</i>) | | | | |
| Mugwort | (<i>Artemisia vulgaris</i>) | | | | |
| Mulberry | (<i>Morus alba</i>) | | | | |
| Mullein | (<i>Verbascum thapsus</i>) | | | | |
| Musk | (<i>Hibiscus abelmoschus</i>) | | | | |
| Mustard | (<i>Sinapis alba</i>) | | | | |
| Myrrh | (<i>Commiphora myrrha</i>) | | | | |
| Name shepherd's purse | (<i>Capsella bursa-pastoris</i>) | | | | |
| Neem | (<i>Azadirachta indica</i>) | | | | |
| Neroli | (<i>Citrus aurantium amara</i>) | | | | |
| Nettle | (<i>Urtica dioica</i>) | | | | |
| Nori | (<i>Porphyra haitanensis</i>) | | | | |
| Oak | (<i>Quercus robur</i>) | | | | |
| Oat | (<i>Avena sativa</i>) | | | | |
| Olive | (<i>Olea europaea</i>) | | | | |
| Onion | (<i>Allium cepa</i>) | | | | |
| Orange | (<i>Citrus sinensis</i>) | | | | |
| Oregano | (<i>Origanum beacleoticum</i>) | | | | |
| Oregano vulgare | (<i>Origanum vulgare</i>) | | | | |
| Oregano wild | (<i>Origanum compactum, Thymus capitatus</i>) | | | | |
| Oyster shell | | | | | |
| Palo de Arco | (<i>Handroanthus serratifolius</i>) | | | | |
| Parietaria | (<i>Parietaria officinalis</i>) | | | | |
| Parsley | (<i>Petroselinum sativum, P. crispum</i>) | | | | |
| Passionflower | (<i>Passiflora incarnata</i>) | | | | |
| Pebrella | (<i>Thymus piperella</i>) | | | | |
| Pennyroyal | (<i>Mentha pulegium</i>) | | | | |
| Pepper | (<i>Capsicum annum</i>) | | | | |
| Pine | (<i>Pinus sylvestris</i>) | | | | |
| Poke Root | (<i>Phytolacca americana</i>) | | | | |
| Polen | (<i>Pollen</i>) | | | | |
| Poppy _California | (<i>Eschscholtzia californica</i>) | | | | |
| Poppy | (<i>Papaver rhoeas</i>) | | | | |
| Poppy | (<i>Papaver somniferum</i>) | | | | |
| Prickly pear | (<i>Opuntia ficus indica</i>) | | | | |
| Prickly uniuniper | (<i>Juniperus oxycedrus</i>) | | | | |



ASK FOR OUR
FOOD GRADE
RAW MATERIALS





































































| TRADENAME | BOTANICAL NAME |  ORGANIC DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  CONVENTIONAL DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  ORGANIC SEAWEED |  CONVENTIONAL SEAWEED |
|-------------------|--|---|--|---|--|
| Psyllium | (<i>Plantago ovata</i>) |  |  | | |
| Psyllium | (<i>Plantago psyllium</i>) |  |  | | |
| Pulmonaria | (<i>Pulmonaria officinalis</i>) | |  | | |
| Purple Basil | (<i>Ocimum sanctum, O.Tenuflorum</i>) |  |  | | |
| Purple coneflower | (<i>Echinacea purpurea</i>) |  |  | | |
| Purple theme | (<i>Thymus hyemalis</i>) | |  | | |
| Quinoa | (<i>Chenopodium quinoa</i>) | |  | | |
| Raspberry | (<i>Rubus idaeus</i>) |  |  | | |
| Red clover | (<i>Trifolium pratense</i>) |  |  | | |
| Reishi | (<i>Ganoderma lucidum</i>) |  |  | | |
| Rhodiola | (<i>Rhodiola rosea</i>) |  |  | | |
| Rhubarb | (<i>Rheum palmatum</i>) |  |  | | |
| Rooibos | (<i>Aspalathus linearis</i>) |  |  | | |
| Rose | (<i>Rosa damascena</i>) |  |  | | |
| Rose pepper | (<i>Schinus terebinthifolius</i>) |  |  | | |
| Rosehip | (<i>Rosa canina</i>) |  |  | | |
| Rosemary | (<i>Rosmarinus officinalis</i>) |  |  | | |
| Rue | (<i>Ruta</i>) | |  | | |
| Safflower | (<i>Carthamus tinctorius</i>) | |  | | |
| Sage | (<i>Salvia lavandulifolia, S. officinalis, S. sclarea</i>) |  |  | | |
| Sarsaparilla | (<i>Smilax medica</i>) | |  | | |
| Saw Palmetto | (<i>Serenoa repens</i>) |  |  | | |
| Schizandra | (<i>Schizandrae chinensis</i>) |  |  | | |
| Scotch heather | (<i>Calluna vulgaris</i>) | |  | | |
| Sea Fennel | (<i>Crithmum maritimum</i>) | |  | | |
| Senna | (<i>Cassia angustifolia</i>) |  |  | | |
| Sesame | (<i>Sesamum indicum</i>) | |  | | |
| Shatavari | (<i>Asparagus racemosa</i>) |  |  | | |
| Sheep's Sorrel | (<i>Rumex acetosella</i>) |  |  | | |
| Shiitake | (<i>Lentinus edodes</i>) |  |  | | |
| Siberian Pine | (<i>Abies sibirica</i>) | |  | | |
| Skullcap | (<i>Scutellaria lateriflora</i>) |  |  | | |
| Slippery Elm | (<i>Ulmus fulva</i>) |  |  | | |
| Spanish marjoram | (<i>Thymus mastichina</i>) | |  | | |
| Spearmint | (<i>Mentha spicata</i>) |  |  | | |
| Spike lavender | (<i>Lavandula latifolia</i>) |  |  | | |
| Spinach | (<i>Spinacia oleracea</i>) |  |  | | |
| Spirulina | (<i>Spirulina platensis</i>) | | |  |  |



ASK FOR OUR
FOOD GRADE
RAW MATERIALS





| TRADENAME | BOTANICAL NAME |  ORGANIC DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  CONVENTIONAL DRIED PLANTS <small>Cutted / Micronized / Powder</small> |  ORGANIC SEAWEED |  CONVENTIONAL SEAWEED |
|-------------------|--|---|--|---|--|
| St Johns Wort | (<i>Hypericum perforatum</i>) |  |  | | |
| Star Anise | (<i>Illicium verum</i>) |  |  | | |
| Stevia | (<i>Stevia rebaudiana</i>) |  |  | | |
| Stoechas Lavender | (<i>Lavandula stoechas</i>) | |  | | |
| Stone Pine | (<i>Pinus cembra</i>) | |  | | |
| Strawberry | (<i>Fragaria vesca</i>) | |  | | |
| Strawberry tree | (<i>Arbutus unedo</i>) | |  | | |
| Sumac | (<i>Rhus coriaria</i>) |  |  | | |
| Summer Savory | (<i>Satureja hortensis</i>) |  |  | | |
| Sunflower | (<i>Helianthus annuus</i>) | |  | | |
| Sweet marjoram | (<i>Origanum majorana</i>) |  |  | | |
| Tarragon | (<i>Artemisia dracunculus</i>) |  |  | | |
| Tea Java | (<i>Orthosiphon aristatus</i>) | |  | | |
| Thyme | (<i>Thymus vulgaris, T. zygis</i>) |  |  | | |
| Turmeric | (<i>Curcuma xanthorrhiza, C. longa</i>) |  |  | | |
| Ulva | (<i>Ulva lactuca</i>) | | |  |  |
| Valeriana | (<i>Valeriana officinalis</i>) |  |  | | |
| Vanilla | (<i>Vanilla planifolia, V. tahitensis</i>) |  |  | | |
| Verbena | (<i>Verbena officinalis</i>) |  |  | | |
| Veronica | (<i>Veronica officinalis</i>) |  |  | | |
| Violet | (<i>Viola odorata</i>) |  |  | | |
| Voacanga | (<i>Voacanga africana, V.thouarsii</i>) |  |  | | |
| Wakame | (<i>Undaria pinnatifida</i>) | | |  |  |
| Wheat germ | (<i>Triticum vulgare</i>) |  |  | | |
| White Horehound | (<i>Marrubium vulgare</i>) |  |  | | |
| White nettle | (<i>Lamium album</i>) | |  | | |
| White tea | (<i>Camellia sinensis</i>) | |  | | |
| White willow | (<i>Salix alba</i>) |  |  | | |
| Winter Savory | (<i>Satureja montana</i>) | |  | | |
| Wormwood | (<i>Artemisia absinthium</i>) |  |  | | |
| Yarrow | (<i>Achillea millefolium</i>) |  |  | | |
| Yellow melilot | (<i>Melilotus officinalis</i>) | |  | | |
| Yerba mate | (<i>Ilex paraguariensis</i>) |  |  | | |
| Yohimbe | (<i>Pausinystalia yohimbe</i>) | |  | | |
| Zanthoxylum | (<i>Zanthoxylum armatum</i>) | |  | | |
| Zanthoxylum | (<i>Zanthoxylum bungeanum</i>) |  |  | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



ASK FOR OUR
FOOD GRADE
RAW MATERIALS





WAXES, RESINS & CLAYS

Waxes, resins and clays of the highest purity and quality, from those parts of the planet where they are produced.





WAXES

Of
the highest
purity and quality,
from those parts of
the planet where
they are
produced.



We offer the
cosmetic and
pharmaceutical industry
the experience to **innovate
in their formulations through
access to new and exotic raw
materials**, together
with traditional
ingredients.



Of natural origin, they are the basis of
cosmetic applications for personal care.

WAXES

Waxes are molecules obtained by esterification.

They are insoluble in water but soluble in
non-polar, organic solvents.

All waxes are organic compounds.

They have traditionally been used in cosmetics,
in the form of creams or ointments, due to the
anti-inflammatory and healing properties of many
of their components. Another cosmetic application
is as a depilatory, as the hair adheres to it
and is easier to remove.



| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|----------------|---|---------|--------------|
| Candelilla | (<i>Candelilla</i>) | | |
| Carnauba | (<i>Copernicia cerifera</i>) | | |
| Mango | (<i>Mangifera indica</i>) | | |
| Rice bran | (<i>Oryza sativa</i>) | | |
| Almond | (<i>Prunus amygdalus dulcis</i>) | | |
| Avocado | (<i>Persea gratissima</i>) | | |
| Beeswax | (<i>Cera alba</i>) | | |
| Grapeseed | (<i>Vitis vinifera</i>) | | |
| Jasmine | (<i>Jasminum grandiflorum</i>) | | |
| Jasmine sambac | (<i>Jasminum sambac</i>) | | |
| Jajoba | (<i>Simmondsia chinensis</i>) | | |
| Lavender | (<i>Lavandula officinalis, L. angustifolia</i>) | | |
| Lime | (<i>Citrus aurantifolia</i>) | | |
| Macadamia | (<i>Macadamia ternifolia, M. integrifolia</i>) | | |
| Mimosa | (<i>Acacia mearnsii</i>) | | |
| Olive | (<i>Olea europaea</i>) | | |
| Raspberry | (<i>Rubus idaeus</i>) | | |
| Rose | (<i>Rosa damascena</i>) | | |
| Soybean | (<i>Glycine soja</i>) | | |
| Sunflower | (<i>Helianthus annuus</i>) | | |
| Tuberose | (<i>Polianthes tuberosa</i>) | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



RESINS & CLAYS

Of the highest purity and quality, from those parts of the planet where they are produced.



Of natural origin, they are the basis of cosmetic applications for personal care.

RESINS

Natural resins are sticky exudates from trees or shrubs that harden on contact with air. They play a fundamental role in the metabolism and ecology of plants. Natural resins are mixtures of compounds with a wide variety and multiple properties. The extraction, transformation and uses of these resins have been described since ancient times. Thanks to their properties, resins are used for the production of perfumes, adhesives, varnishes and food additives, among other products.

We offer the cosmetic and pharmaceutical industry the experience to **innovate in their formulations through access to new and exotic raw materials,** together with traditional ingredients.



CLAYS

Clay is a natural material of mineral origin. From the most remote antiquity the earth (the mud, the clay) has been one of the most accessible, useful and appreciated therapies by men and animals to treat many illnesses. Its uses in cosmetics are very varied and appreciated.





| TRADENAME | BOTANICAL NAME | RESINS | CLAYS |
|----------------------|---|--------|-------|
| Benzoin | (<i>Styrax benzoin, S. tonkinensis</i>) | | |
| Clay | (Black & White Kaolin) | | |
| Clay | (Green Illite) | | |
| Clay | (Red & Green Montmorillonite) | | |
| Clay Ghassoul | | | |
| Dragons Blood | (<i>Croton lechleri</i>) | | |
| Elemi | (<i>Canarium luzonicum</i>) | | |
| Guggul | (<i>Commiphora mukul</i>) | | |
| Heilmoor Clay | | | |
| Incense | (<i>Boswellia carterii, B. Serrata</i>) | | |
| Labdanum | (<i>Cistus ladanifer</i>) | | |
| Myrrh | (<i>Commiphora myrrha</i>) | | |
| Protium heptaphyllum | (<i>Protium heptaphyllum</i>) | | |
| Red Clay | (montmorillonite) | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



ABSOLUTES & OLEORESINS

Absolutes and Oleoresins of the highest purity and quality,
from those parts of the planet where produce.





ABSOLUTES

With a fine and intense aroma, the absolute is extracted by washing the plants in hexane or alcohol.



100% Pure and natural absolutes.

Obtained by washing the plants in hexane or alcohol. Commonly used in perfumery and cosmetics.



We offer the cosmetic and pharmaceutical industry the experience to **innovate in their formulations through access to new and exotic raw materials**, together with traditional ingredients.



Absolutes are obtained from very fragile plants that cannot undergo the usual process of distillation, with heat in an alembic, from which the essential oil is obtained, so the flower is macerated in certain solvents that are later eliminated through distillation to finally obtain the absolute. This is another different method to obtain the aromatic principle of the plant, which is known as "extraction".

This extraction is done by washing the aromatic material of the plant with hexane or alcohol to obtain its aromatic principle.


















Absolutes are obtained from very fragile plants that cannot undergo the usual process of distillation, with heat in an alembic, from which the essential oil is obtained, so the flower is macerated in certain solvents that are later eliminated through distillation to finally obtain the absolute. This is another different method to obtain the aromatic principle of the plant, which is known as "extraction".

This extraction is done by washing the aromatic material of the plant with hexane or alcohol to obtain its aromatic principle.



| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|----------------|---|---------|--------------|
| Barley | (<i>Hordeum vulgare</i>) | | |
| Benzoin | (<i>Styrax benzoin, S. tonkinensis</i>) | | |
| Black poplar | (<i>Populus nigra</i>) | | |
| Blackcurrant | (<i>Ribes nigrum</i>) | | |
| Broom | (<i>Spartium junceum</i>) | | |
| Carnation | (<i>Dianthus caryophyllus</i>) | | |
| Carrot | (<i>Daucus carota</i>) | | |
| Cedarwood | (<i>Cedrus atlantica</i>) | | |
| Cinnamon | (<i>Cinnamomum verum</i>) | | |
| Clary sage | (<i>Salvia sclarea</i>) | | |
| Cocoa | (<i>Theobroma cacao</i>) | | |
| Coffee | (<i>Coffea canephora</i>) | | |
| Cypress | (<i>Cupressus sempervirens</i>) | | |
| Eucalyptus | (<i>Eucalyptus globulus</i>) | | |
| Fenugreek | (<i>Trigonella foenum graecum</i>) | | |
| Fir balsam | (<i>Abies balsamea</i>) | | |
| Flouve | (<i>Anthoxanthum odoratum</i>) | | |
| Frangipani | (<i>Plumeria alba</i>) | | |
| Fucus | (<i>Fucus vesiculosus</i>) | | |
| Gardenia | (<i>Gardenia jasminoides</i>) | | |
| Green Mate | (<i>Ilex paraguariensis</i>) | | |
| Honeysuckle | (<i>Lonicera caprifolium</i>) | | |
| Jasmine | (<i>Jasminum grandiflorum</i>) | | |
| Jasmine sambac | (<i>Jasminum sambac</i>) | | |
| Labdanum | (<i>Cistus ladanifer</i>) | | |
| Laminaria | (<i>Laminaria digitata</i>) | | |
| Lavandin | (<i>Lavandula hybrida</i>) | | |
| Lavender | (<i>Lavandula officinalis, L. angustifolia</i>) | | |
| Lentisque | (<i>Pistacia lentiscus</i>) | | |
| Lime tree | (<i>Tilia platyphyllos</i>) | | |
| Litsea | (<i>Litsea cubeba</i>) | | |
| Lotus | (<i>Nelumbo nucifera</i>) | | |
| Mimosa flower | (<i>Acacia decurrens</i>) | | |
| Musk | (<i>Hibiscus abelmoschus</i>) | | |
| Neroli | (<i>Citrus aurantium amara</i>) | | |
| Nutmeg | (<i>Myristica fragrans</i>) | | |
| Oakmoss | (<i>Evernia Prunastri</i>) | | |
| Oakwood | (<i>Quercus robur</i>) | | |
| Olibanum | (<i>Boswellia carteri</i>) | | |



| TRADENAME | BOTANICAL NAME |  ORGANIC |  CONVENTIONAL |
|------------|---|---|--|
| Orris | (<i>Iris Pallida</i>) | |  |
| Petitgrain | (<i>Citrus aurantium amara</i>) | |  |
| Pine | (<i>Pinus pinaster</i>) | |  |
| Rose | (<i>Rosa damascena</i>) | |  |
| Rosemary | (<i>Rosmarinus officinalis</i>) | |  |
| Sandalwood | (<i>Santalum album, S. austrocaledonicum</i>) | |  |
| Thyme | (<i>Thymus saturejoides</i>) | |  |
| Tobacco | (<i>Nicotiana tabacum</i>) | |  |
| Tonka bean | (<i>Dipteryx odorata</i>) |  |  |
| Tuberose | (<i>Polianthes tuberosa</i>) | |  |
| Tulipifera | (<i>Liriodendron tulipifera</i>) | |  |
| Vanilla | (<i>Vanilla planifolia</i>) | |  |
| Violet | (<i>Viola odorata</i>) | |  |
| Ylang | (<i>Cananga odorata</i>) | |  |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



OLEORESINS

100% Pure and natural oleoresins.

Generated by maceration of a plant in a volatile solvent. Highly valued in food.



With a fine and intense aroma, the absolute is extracted by washing the plants in hexane or alcohol.

Oleoresins are semi-solid natural compounds obtained from the maceration of a resin in volatile oils; usually essential oils. The oleoresin is the result of this process, once the oil used as a solvent has evaporated.

The most commonly used vegetable base for oleoresin generation is spices as they intensely transfer aroma and flavour, preserving oleoresins the natural flavourings in a concentrated form.

Oleoresins are mainly used in food and in the flavouring of industrial products produced for different consumer sectors.

We offer the cosmetic and pharmaceutical industry the experience to **innovate in their formulations through access to new and exotic raw materials**, together with traditional ingredients.





| TRADENAME | BOTANICAL NAME | ORGANIC | CONVENTIONAL |
|--------------------------|--|---------|--------------|
| Basil | (<i>Ocimum basilicum</i>) | | |
| Benzoin | (<i>Styrax benzoin, S. tonkinensis</i>) | | |
| Black pepper | (<i>Piper nigrum</i>) | | |
| Boletus | (<i>Boletus edulis</i>) | | |
| Capsicum | (<i>Capsicum annuum</i>) | | |
| Cardamom | (<i>Elettaria cardamomum</i>) | | |
| Carob | (<i>Ceratonia siliqua</i>) | | |
| Celery | (<i>Apium graveolens</i>) | | |
| Cinnamon | (<i>Cinnamomum cassia</i>) | | |
| Clove | (<i>Syzygium aromaticum, Eugenia caryophyllus</i>) | | |
| Coriander | (<i>Coriandrum sativum</i>) | | |
| Cumin | (<i>Cuminum cyminum</i>) | | |
| Elemi | (<i>Canarium luzonicum</i>) | | |
| Fennel | (<i>Foeniculum vulgare</i>) | | |
| Fenugreek | (<i>Trigonella foenum graecum</i>) | | |
| Garlic | (<i>Allium sativum</i>) | | |
| Ginger | (<i>Zingiber officinalis</i>) | | |
| Myrrh | (<i>Commiphora myrrha</i>) | | |
| Nutmeg | (<i>Myristica fragrans</i>) | | |
| Onion | (<i>Allium cepa</i>) | | |
| Opoponax resinoid washed | (<i>Commiphora erythraea</i>) | | |
| Rosemary | (<i>Rosmarinus officinalis</i>) | | |
| Saffron | (<i>Crocus sativus</i>) | | |
| Star Anise | (<i>Illicium verum</i>) | | |
| Tamarind | (<i>Tamarindus indica</i>) | | |
| Turmeric | (<i>Curcuma longa</i>) | | |
| Vanilla | (<i>Vanilla planifolia</i>) | | |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS

OTHERS

Pure and natural ingredients are produced and obtained through environmentally friendly processes.

Of the **highest purity and quality**, from those parts of the planet where they are produced.



We offer the cosmetic, pharmaceutical, food and industrial sectors **the experience to innovate in their formulations through access to new and exotic raw materials**, together with traditional ingredients.

Nature is an inexhaustible source of active ingredients and beneficial natural principles used in countless industrial developments, which help us to take care of our health and our environment in a sustainable way.

Today's society is increasingly aware of the need to seek and find a balance between the wellbeing offered by the advances of our time and the care of our organism and our world.

That is why sectors such as cosmetics, perfumery and pharmaceuticals, together with the food, human and animal industries, and others such as detergent and phytosanitary manufacturers, are increasingly looking to Nature for sustainable and respectful solutions for their formulations.

Here, these sectors will find a wide selection of products of natural origin to meet their needs for natural ingredients for their eco-responsible and sustainable formulations.

Among them you can find activated charcoal, organic alcohol, organic vegetable glycerine for food and cosmetic grade, organic aloe vera in different presentations, organic menthol and a wide range of salts and antioxidants, among many others.





| TRADENAME | CLASIFICACION |
|---|---|
| Activated carbon | Natural |
| African black soap | Natural soap |
| Alcohol | Organic / Denatured / Partially denatured |
| Aloe Vera (<i>Aloe barbadensis</i>) | Gel, Juice |
| Alpha Pinene | Natural |
| Beldi Black Soap | Natural soap |
| D- limonene | Natural |
| Flours and tourteau | Natural |
| Iron oxides | Natural |
| Menthol | Organic / Conventional |
| Micas and pigments | Natural |
| Olive pomace (<i>Olea europaea</i>) | Fatty acids |
| Rosemary Antioxidant | Organic / Conventional |
| Sage Antioxidant | Organic / Conventional |
| SCI (Sodium cocoyl Isethionate) | Natural |
| Sea water | Natural |
| Snail slime | Natural |
| Soap bases | Organic / Conventional |
| Sorbitol | Natural |
| Surfactants | Natural |
| Tara gum (<i>Caesalpinia spinosa</i>) | Natural thickener |
| Tocopherol | Natural |
| Vegetale glycerin | Organic / Conventional |



| TRADENAME | SALTS |
|---------------------------------|-------|
| Common salt | Salt |
| Salt Anglesey | Salt |
| Salt Camargue | Salt |
| Salt Djibouti | Salt |
| Salt from Egypt | Salt |
| Salt from Guérande | Salt |
| Salt from Madagascar | Salt |
| Salt from Maras, Peru | Salt |
| Salt from Noirmoutier | Salt |
| Salt from Portugal | Salt |
| Salt from Ré | Salt |
| Salt from the Dead Sea | Salt |
| Salt Hawaiian Red | Salt |
| Salt Himalayan | Salt |
| Salt Mirror | Salt |
| Salt Palm Island Black Volcanic | Salt |
| Salt Persian Blue | Salt |
| Salt Salish | Salt |
| Salt Viking | Salt |
| Salts from Epsom | Salt |



| TRADENAME | BOTANICAL NAME | NATURAL COLORANTS |
|-------------|--------------------------|---|
| Annatto | <i>(Bixa orellana)</i> |  |
| Beet | <i>(Beta vulgaris)</i> |  |
| Capsicum | <i>(Capsicum annuum)</i> |  |
| Chlorophyll | |  |
| Turmeric | <i>(Curcuma longa)</i> |  |

IF YOU CAN'T FIND YOUR INGREDIENT, ASK US ABOUT OUR CUSTOMIZED SERVICE OF SEARCHING INGREDIENTS



"Acquire the rhythm of nature for your life. His secret is patience."

Ralph Waldo Emerson



100% PURE & NATURAL



Castillo de Monteagudo, 13 • Oficina 23
Pol. Ind. Base 2000 • 30564 Lorquí (Murcia) • Spain
[T] +34 968 974 701 • www.belavizago.com