

#### BELGIAN REFERENCE LAB FOR EVIDENCE-BASED

Food supplements • Cosmetic • Medical device









Bioactive curcumin soft capsules for **JOINTS**, **MUSCLES AND TENDONS** 



#### COMPOSITION

■ Bioactive extract of turmeric standardised to 42 mg of curcumin.

Ingredients per soft capsule: Emulsifier (polysorbate 80) - capsule shell (bovine gelatin) - humectant (glycerol) - bioactive extract of *Curcuma longa* standardised to 42 mg of curcumin - acidifying agent (citric acid) - water - colours (carmines, iron oxides).

#### USE

- Flexofytol®, contains bioactive extract of turmeric, that contributes to maintain joints, muscles and tendons flexibility and suppleness and to limit the ageing of the cartilage
- Can be used for a long period without gastric or cardiovascular complications

#### **DIRECTION FOR USE**



#### JOINTS & MUSCLES

#### start :

2 ()	in the morning during 1 month
2 ()	in the morning and in the evening during 1 month
	- 0

#### maintenance:

From 6 to 11 years	1 ()	in the morning
Adults and children from 12 years	2 ()	in the morning

T	FI	v	ם	O	N	S
_	_	N	_	$\mathbf{U}$	ш.	$\mathbf{c}$

From 6 to 11 years	2 ()	in the morning during 1 week
Adults and childre from 12 years	n 4 ()	in the morning and in the evening during 1 week









Based on a extract of turmeric,
Boswellia serrata and vitamin D,
for the flexibility of joints,
muscles and tendons





#### **COMPOSITION**

- Dry extract of bioactive turmeric standardized to 72 mg curcumin. Bioactive extract of turmeric is obtained by a formulation process that makes curcumin 2.100 X more absorbable than turmeric powder.
- Extract of Boswellia serrata 120 mg standardized to 65% of boswellic acids
- Vitamin D 1,8 μg

Ingredients per tablet: Bulking agents: microcrystalline cellulose, dicalcium phosphate • Sweetener: mannitol • Bulking agents: basic methacrylate copolymer, magnesium oxide • Boswellia oleoresin (Boswellia serrata) 120 mg standardized to 65% boswellic acids • Starch • Standardized dry extract of turmeric rhizome (Curcuma longa) 89 mg with 72 mg curcumin • Anticaking agents: silicon dioxide, magnesium salts of fatty acids, talc • Glazing agents: hydroxypropyl methyl cellulose, polydextrose, calcium carbonate • Medium chain triglycerides • Cholecalciferol (vitamin D) 1,8 µg (for 4 tablets = 7,2 µg, or 144% NRV\*) - Colours: iron oxides yellow, riboflavin, carmines.

\*NRV = Nutrient Reference values

#### - USE -

- Turmeric helps to maintain the health of joints and tendons
- Boswellia helps to maintain joints flexibility and suppleness
- Vitamin D helps to maintain the normal functioning of the muscles
- Can be used for long periods without gastric complications

#### **DIRECTION FOR USE**

		NO NO	+6Y
START DURING MI	NIMUM 1 M	ONTH	
From 6 to 11 years	2 []	in the mor	rning
Adults and children from 12 years	2 []	in the mor and in the eve	

MAINTENANCE		
From 6 to 11 years	1 []	in the morning
Adults and children from 12 years	2 []	in the morning

To be taken **DURING** the meals to improve the assimilation of Boswellia





Flexofytol® FORTE cleverly combines the benefits of CURCUMA. **BOSWELLIA SERRATA** and **VITAMIN D** thanks to a unique technology designed to keep joints in great shape throughout the year!



#### COMPOSITION

- Extract of bioactive turmeric standardized to 200 mg bioactive curcumin
- Extract of Boswellia serrata standardized to 51 mg bioactive boswellic acids
- Vitamin D 3,6 μg

Ingredients per tablet: Bulking agents: bovine gelatine hydrolysate, microcrystalline cellulose • Standardized dry extract of Curcuma rhizome (Curcuma longa) 237 mg including 200 mg curcumin • Stabiliser : glycerol Boswellia oleoresin (Boswellia serrata) 51 mg standardized to 65% **boswellic acids** • Bulking agent : starch • Carrier : cross-linked sodium carboxymethylcellulose • Cholecalciferol (Vitamin D) 3.6 μg (for 2 tablets = 7.2 μg or 144% NRV\*) • Coating agents : polyvinyl alcohol-polyethylene glycol-graft-co-polymer, calcium carbonate, mono- and diglycerides of fatty acids, polyvinyl alcohol • Anticaking agents : magnesium salts of fatty acids, talc, silicon dioxide • Colouring: caramel (E150d).

\*NRV = Nutrient Reference values

#### USE

- Flexofytol® FORTE, thanks to the synergy between three active ingredients, turmeric, Boswellia serrata and vitamin D, helps to:
  - maintain the flexibility and suppleness of joints, muscles and tendons
  - preserve cartilage

#### **DIRECTION FOR USE**





#### **JOINTS, MUSCLES & TENDONS**

#### start :

1/ in the morning and Adults in the evening

#### maintenance:

1/ Adults in the morning

Swallow with water. Flexofytol® FORTE does not need to be taken with food.

For the best results, it is recommended to keep taking Flexofytol® FORTE over time.







### Medical device **JOINTS**



Flexicream is a natural analgesic cream, odourless, non-sticky and that penetrates easily to relieve joint and muscle pain

### **Flexicream**<sup>®</sup>

#### **COMPOSITION -**

- Natural hyperthermal water
- Vanillyl butyl ether

Ingredients in tube : Aqua\* - Ethylhexyl Palmitate - Dicaprylyl Ether -Cetearyl Alcohol • Glyceryl Stearate • Cetearyl Glucoside • Phytosterols (and) Caprylic/Capric Triglyceride • Tocopherol • Sodium Polyacrylate • Phenoxyethanol • Ethylexyl glycerin • Vanillyl Butyl Ether.

\*Hyperthermal Salsobromoiodic Water.

#### USE-

- To relieve joint and muscle pain
- Natural analgesic cream
- Warming effect on the skin
- Use in case of cramps, spasms and muscle contractions, tendon inflammation, sports injuries

#### **DIRECTION FOR USE-**





Wash hands after use.



#### **JOINT AND MUSCLES**

Adults and children from 6 years

Apply a thin layer **2** to **3** times per day on the specific part, then perform a massage until a complete absorption. A feeling of warmth can be felt immediately.














Tablets based on Amla extract, red yeast rice of 2<sup>nd</sup> generation (hydroxy-acid form - Monacolin K 2.90 mg), Olive extract (10 mg hydroxytyrosol) and Walnut leaf extract



#### COMPOSITION

per 2 tablets/day

Amla extract 1000 mg, red yeast rice 67,20 mg (hydroxy-acid form - Monacolin K 2.90 mg), Olive extract 50 mg (10 mg hydroxytyrosol) and Walnut leaf extract 100 mg

Ingredients per tablet: Amla dry extract (Phyllanthus emblica) 500 mg • Bulking agent: microcrystalline cellulose, magnesium oxide • Walnut leaf dry extract (Juglans regia) 50 mg • Starch • Anticaking agent: silicon dioxide, magnesium salts of fatty acids, talc • Red yeast rice powder (Monascus purpureus) 33.6 mg (equivalent to 1.45 mg of monacoline K) • Olive fruit dry extract (Olea europaea) 25 mg (equivalent to 5 mg hydroxytyrosol) • Glazing agents: hydroxypropyl methyl cellulose, calcium carbonate, polydextrose • Anticaking agents: talc, magnesium salts of fatty acids • Maltodextrin • Medium chain triglycerides • Colour: copper complexes of chlorophyllins.

#### USE —

Walnut leaf extract helps to control cholesterol level

#### **DIRECTION FOR USE**



Adults from 18 years of age

**2 1 1** x/day

Both pills are to be taken in the evening before bedtime.

Cholesfytol® NG can be used all year round without interruption.





#### **CARDIO**

Box of: 28 film-coated tablets 84 film-coated tablets

# Cholesfytol Chole

Tablets based on red yeast rice of 2nd generation (min. 80% hydroxy-acid form monacolin K) and olive dry extract (5 mg hydroxytyrosol) to help control cholesterol levels

## **Cholesfytol**®

#### COMPOSITION

- 240 mg of red yeast rice powder extract standardised to 10 mg of monacolin K and 25 mg dry extract of olive, standardised to 5 mg hydroxytyrosol
- Citrinin free

Ingredients per tablet: Bulking agent: microcrystalline cellulose • Red rice yeast powder (*Monascus purpureus*) 240 mg (equivalent to 10 mg of monacolin K) • Bulking agent: magnesium oxide • Starch • Olive fruit dry extract (*Olea europaea*) 25 mg (equivalent to 5 mg hydroxytyrosol) • Anticaking agents: silicon dioxide, talc, magnesium salts of fatty acids • Glazing agents: polyvinyl alcohol, polyethylene glycol, polysorbate 80 • Colours: carmines, iron oxide.

#### **USE**

- The monacoline K (10 mg/d) from red yeast rice contributes to maintain a healthy cholesterol
- Olive contributes to the maintenance of a normal blood pressure

#### **DIRECTION FOR USE**



Adults from 18 years of age


1 /

in the evening, before bedtime

Cholesfytol® can be used without interruption.







Tablets based on red yeast rice of 2nd generation (min. 80% hydroxy-acid form monacolin K) and two times more olive dry extraxt (10 mg hydroxytyrosol) to help control cholesterol levels



#### COMPOSITION

- 240 mg of red yeast rice powder standardised to 10 mg of monacolin K and 50 mg dry extract of olive, standardised to 10 mg hydroxytyrosol
- Citrinin free

Ingredients per tablet: Bulking agent: microcrystalline cellulose • Red yeast rice powder (Monascus purpureus) 240 mg (equivalent to 10 mg of monacoline K) • Olive fruit dry extract (Olea europaea) 50 mg (equivalent to 10 mg hydroxytyrosol) • Bulking agents: magnesium oxide • Starch • Anticaking agents: silicon dioxide, talc, magnesium salts of fatty acids • Glazing agents: polyvinyl alcohol, polyethylene glycol, polysorbate 80 • Colours: carmines, iron oxide.

#### USE

- The monacoline K (10 mg/d) from red yeast rice contributes to maintain a healthy cholesterol
- Olive contributes to the maintenance of a normal blood pressure

#### **DIRECTION FOR USE**



Adults from 18 years of age

1 (

in the evening, before bedtime.

Cholesfytol® PLUS can be used without interruption.









Olive leaf and olive fruit dry extracts, for a naturally modulated blood pressure

## **Tensio**fytol®

#### COMPOSITION

■ 167 mg olive leaf dry extract, standardized to 50 mg of oleuropein and 53 mg olive dry extract, standardized to 10 mg of hydroxytyrosol

Ingredients per capsule: Olive leaf dry extract (Olea europaea) 167 mg - Capsule shell : gelatine - Olive fruit dry extract (Olea europaea) 53 mg • Bulking agents : microcrystalline cellulose, tricalcium phosphate Anticaking agents: silicon dioxide, talc, magnesium salts of fatty acids Colours: iron oxides.

#### USE .

 Dry olive leaf extract contributes to the maintenance of a normal blood pressure

#### **DIRECTION FOR USE**

2

Adults from

18 years of age









The first immediately after waking up in the morning and the second in the evening, with a big glass of water.











Antimetil<sup>®</sup> contains ginger that contributes to preserve your digestive well-being

## **Antimetil**®

#### COMPOSITION

■ 50 mg ginger dry extract standardised to 10% of gingerols, equivalent to 500mg of ginger powder.

Ingredients per tablet: Bulking agent: microcrystalline cellulose • Standardised dry extract of ginger\*\* (*Zingiber officinale*) 50 mg • Glazing agents: hydroxypropyl methyl cellulose, calcium carbonate, polydextrose • Anticaking agents: silicon dioxide, talc, magnesium salts of fatty acids • Maltodextrin • Medium chain triglycerides • Colour: copper complexes of chlorophyllins.

\*\*10% gingerols : 50 mg of standardised extract equivalent to 500 mg of ginger powder

#### USE -

- Helps pregnant women to recover their digestive wellbeing during pregnancy
- Ideal for the following situations as well:
  - overeating
  - unusual diets (for example, on vacation)
  - when travelling
- Excellent safety profile

		OK OK +3Y
Children from 3 to 5 years	1)	1 to 2 x / day with or without food
Children from 6 to 11 years	1)	1 to 4 x / day with or without food
Adults and children from 12 years	2 🔾	1 to 4 x / day with or without food
Pregnant women (max. 2 tablets/day)	1 🔾	in the morning and at midday. (maximum 2 tablets)
		the tablets with a glass of water. or on the move, take the tablets 30 minutes before departure.









Antimetil® gom contains ginger that contributes to preserve your digestive well-being

## Antimetil<sup>®</sup>

#### COMPOSITION

■ 25 mg ginger dry extract standardised to 10% of gingerols, equivalent to 250mg of ginger powder.

Ingredients per gum: Sweeteners: maltitol syrup, sorbitol syrup • Bulking agent: gum arabic • Bovine gelatin • Stabiliser: beta-cyclodextrin • Standardised dry extract of ginger\*\*(Zingiber officinale) 25 mg • Natural flavours: lemon, mint, orange, eucalyptus • Antioxidant: ascorbic acid • Sweeteners: steviol glycosides, sucralose • Coconut oil.

\*\*10% gingerols : 25 mg of standardised extract equivalent to 250 mg of ginger powder

May contain traces of egg, shelled fruit or wheat.

#### USE-

- Helps pregnant women to recover their digestive wellbeing during pregnancy
- Ideal for the following situations as well:
  - overeating
  - unusual diets (for example, on vacation)
  - when travelling
- Excellent safety profile

## Children from 4 to 11 years Adults and children from 12 years 1 to 3x/day

**DIRECTION FOR USE** 

Sugar-free gum with a delicious lemon taste

When travelling, take the gums 30 min before the departure.

**Pregnant women** 





2x/day

morning and midday







Digestive chewable tablets based on **ginger**, **lemon balm** (melissa) and camomile

## Digestil®

#### COMPOSITION

Dry extract of ginger 20 mg, melissa 10 mg, and camomile 10 mg

Ingredients per lozenge: sweetener: sorbitol • stabiliser: beta-cyclodextrin • natural flavour: lemon • bulking agent: microcrystalline cellulose • anticaking agents: silicon dioxide, magnesium salts of fatty acids • acidifying agent: ascorbic acid • ginger dry extract (Zingiber officinale) 20 mg • lemon balm dry extract (Melissa officinalis) 10 mg • german chamomile dry extract (Matricaria recutita) 10 mg • natural flavours: bitter orange peel, cardamom, cinnamon • sweeteners: steviol glycosides, sucralose.

#### USE -

- Ginger and Balm contribute to the normal functioning of the digestive system
- The camomile calms the sensations of bloatings

#### **DIRECTION FOR USE**

Children from 6 years	up to 4	/day after meals
Adults and children from 12 years	1 to 6	/day after meals
Pregnant women	1 to 4	/day after meals (maximum 3 consecutive days)

Sugar-free (with stevia) - Menthol-free









Capsules based on bioactive curcumin and fennel essential oil for intestinal discomfort, abdominal tensions, bloating and flatulence

## **Enterofytol**®

#### COMPOSITION

■ Bioactif extract of turmeric standardized to 42 mg of curcumin and 25 mg fennel essential oil

Ingredients per capsule: Emulsifier: polysorbate 80 - Bovine gelatin (capsule shell) • Humectant : Glycerol • Standardised dry extract of turmeric rhizome (Curcuma longa) 46,7 mg with 42 mg curcumin - Essential oil of fennel (Foeniculum vulgare) 25 mg • Water • Acidity regulator : citric acid • Colours: iron oxides and hydroxides.

#### USE -

- Intestinal discomfort characterized by frequent sensations, bloating, excess of gas and abdominal tensions
- Association of turmeric and fennel essential oil soothes intestinal discomfort

#### **DIRECTION FOR USE -**

Adults and children

from 12 years







2 x /day, before meals, during one month. Then, 2 caps 1 time a day.

Enterofytol® should not be taken by children under the age of 12. • Do not use for a long period without medical advice.











Protection of the body against viruses and bacteria necessarily relies upon the **IMMUNE SYSTEM**, the body's defence system



#### COMPOSITION -

- Bioactive quercetin 65 mg
- Bioactive extract of curcuma

Ingredients per capsule: Emulsifier: polysorbate 80 - bovine gelatin (caspule shell) - humectant: glycerol - bioactive quercetin 65 mg - bioactive extract of curcuma (*Curcuma longa*) standardized to 42 mg of curcumin - cholecalciferol (vitamin D3 2,25 μg - for 4 capsules per day: vitamin D3 9 μg, or 180% NRV\*) - acidity regulator: citric acid - water - colours: copper complexes of chlorophyl, iron oxides and hydroxides.
\**NRV* = *Nutrient Reference Values*.

#### - USE

- Maintains the body's NATURAL DEFENCES\*
- The support of the immunity ensures better protection of the body:
  - against viruses and bacteria
  - against attacks on the upper respiratory tract

#### **DIRECTION FOR USE**



#### PREVENTION

Adults from 18 years

20

2 x /day.

To be taken with a large glass of water, preferably before the meal







#### **BREASTFEEDING**



Organic capsules based on **fennel** and anise seed for breastfeeding mothers

### Lactil®

#### **COMPOSITION -**

- Dry extracts of fennel 125 mg and green anise seed 150 mg
- ORGANIC formulation
- Capsules of plant origin

Ingredients per capsule: dry anise extract\* (4:1) (Pimpinella anisum) 150 mg - Dry fennel extract\* (6-8:1) (Foeniculum vulgare) 125 mg -Glazing agent : hydroxypropyl methyl cellulose (capsule shell) - Rice powder\* - Anticaking agents : talc, silicon dioxide.

\*Product of organic farming. Checked by Certisys BE-BIO-01.

#### USE -

• Fennel and aniseed assist with serene breastfeeding and regulate baby's digestion

#### **DIRECTION FOR USE**



**Breast-feeding** women

capsules a day, one i morning and one in the evening with a big glass of water

Can be used in combination with the herbal tea Biolys® Fenouil-Anis.







Fennel · Anise

**Breast-feeding** 

Helps the production of milk

#### **COMPOSITION**

Ingredients per teabags: green aniseed seeds\* 36% - fennel fresh fruit\* 35% • fenugreek seeds\* 10% • liquorice root\* 15% • natural lemon flavouring 4%.

#### **DIRECTION FOR USE**

Breast-feeding women



1 to 2



per day

Contains liquorice. People suffering from hypertension should avoid excessive consumption











Plantil® oral solution contains plantain and liquorice.



#### COMPOSITION

 Fluid extracts of plantain 11,25 g, liquorice 7,50 g and zinc bisglycinate 200 mg

Ingredients per 100 ml: Sweetener: maltitol syrup • Stabiliser: glycerol • Water • Fluid extract of plantain (*Plantago lanceolata*) 7,5 g • Fluid extract of liquorice (*Glycyrrhiza glabra*) 5,0 g • Zinc bisglycinate (zinc 25 mg - for 40 ml: zinc 10 mg, or 100% NRV\*) • Acidity regulator: citric acid • Preservatives: sodium benzoate, potassium sorbate • Sweetener: steviol glycosides. Alc. 2.5% vol.

\*NRV = Nutrient Reference Values.

#### USE -

- Plantain and liquorice soothe the respiratory tract, to restore optimal respiratory comfort
- Zinc is an excellent antioxidant, which support the body's natural defences.

		OK OK +3Y
Children from B to 6 years	5 ml	4 x / day
Children from 7 to 11 years	7,5 ml	4 x / day
Adults and children rom 12 years of age	10 ml	4 x / day

- Sugar-free (with stevia)
- Pleasant taste with no added flavouring











Syrup for the throat, based on thyme



#### COMPOSITION

■ Thyme fluid extract

Ingredients per 100 ml: Sugar • purified water • Thyme fluid extract 15g (Thymus Vulgaris L.) • Stabiliser: glycerol • ethanol (alc. 9.7% vol).

#### USE-

- Soothes and clears the throat
- Useful in case of short-lived hoarseness

	OK OK	OK +3Y
Children from 3 years	5 ml	4x / day
Children from 7 years	10 ml	4x / day
Adults and children over 12 years	15 ml	4x / day











Lozenges with thyme for sore throat

## **Thymotabs**°

#### **COMPOSITION -**

- 30 mg dry thyme extract
- Thymotabs Nature natural taste of thyme Ingredients per lozenge: Sweetener: sorbitol natural flavouring: lemon bulking agent: microcrystalline cellulose thyme dry extract (Thymus vulgaris) 30 mg anticaking agent: silicon dioxide vitamin C 20 mg (for 6 lozenges: 120 mg, or 150% NRV\*) natural flavouring: cinnamon anticaking agent: magnesiumsalts of fatty acids natural flavourings: vanilla, eucalyptus sweeteners: steviol glycosides, sucralose.
- Thymotabs Orange natural taste of orange Ingredients per lozenge: Sweeteners: sorbitol, xylitol natural flavourings: lemon, orange bulking agent: microcrystalline cellulose vitamin C 30 mg (for 6 lozenges: 180 mg, or 225% NRV\*) thyme dry extract (*Thymus vulgaris*) 30 mg anticaking agents: silicon dioxide, talc, magnesium salts of fatty acids natural flavouring: cinnamon acidifying agent: citric acid natural flavouring: eucalyptus sweeteners: steviol glycosides, sucralose.

#### USE

Soothes irritated throat or hoarseness

\*NRV = Nutrient Reference Values.



- Sugar-free (with stevia)
- Menthol-free











#### **Spray with thyme for sore throat**

## **Thymospray**®

#### COMPOSITION

■ 15 % of thyme liquid extract

Ingredients per 100 ml: Water - stabiliser: glycerol - thyme fluid extract (*Thymus vulgaris*) 15 g (14 mg/spray) - ethanol (alc. 8% vol) - sweetener: steviol glycosides.

#### USE-

- Thyme soothes the throat
- Useful in case of short-lived hoarseness

		+4M OK +3Y
Children from 3 to 6 years	1	4 to 8 x / day
Children from 7 to 11 years	2	4 to 8 x / day
Adults and children from 12 years of age	3	4 to 8 x / day

- Sugar-free
- Menthol-free















## **Thymogom**<sup>®</sup>

#### COMPOSITION

■ Thymogom throat gums contain a high concentration of Thyme (75 mg of dry extract per gum).

Ingredients per gum: Sweeteners: maltitol syrup, sorbitol syrup • Bulking agent: gum arabic • Gelatin • Thyme dry extract (Thymus vulgaris) 75 mg • Natural flavours: cherry, plum • Acidifying agent: citric acid • Coconut oil • Sweeteners: sucralose, steviol glycosides.

#### USE

- Soothes throat irritations
- Soothes short-term hoarseness

		OK OK +4Y
Children from 4 to 11 years	4 🔘	/ day
Adults and children + 12 years	6 🔘	/ day
Pregnant women	4 🔘	/ day

- Sugar-free
- Menthol-free
- Cherry flavour taste











Lozenges gums based on Plantain and Pelargonium



## **Plantigom**<sup>®</sup>

#### COMPOSITION

Plantigom contain plantain dry extract (50 mg)
 and Pelargonium dry extract (50 mg)

Ingredients per gum: Sweeteners: maltitol syrup, sorbitol syrup • Bulking agent: gum arabic • Gelatin • Gooseberry flavor • Plantain dry extract (Plantago lanceolata) 50 mg • Pelargonium dry extract (Pelargonium sidoides) 50 mg • Acidifying agent: citric acid • Sweetener: sucralose • Coconut oil.

USE

Relieves sore throat

## Children aged 4 to 11 Adults and children aged 12 and older Adults and children

3

**DIRECTION FOR USE** 

- For the whole family
- Red fruits flavor

**Pregnant women** 

Sugar free





/ day



**WINTER** 





Lozenges gums based on **Erysimum** and **Plantain** 



#### **COMPOSITION**

- Plantivox gums contain Erysimum (Hedge mustard) (20 mg/gum) and plantain (30 mg/gum).
- Decreases larynx inflammation

Ingredients per gum: Bulking agents: gum arabic, sorbitol syrup, maltitol syrup • Plantain dry extract (Plantago lanceolata) 30 mg • Hedge mustard dry extract (Sisymbrium officinale) 20mg • Natural flavours: lemon, eucalyptus, mint • Sweeteners: sucralose, steviol glycosides • Coating agents: coco oil, carnauba wax.

USE-

Relieves the vocal cords

	OK OK +6Y	
Children aged 6 to 11	3 () FA	MILY / day
Adults and children aged 12 and older	6 🔘	/ day

- Lemon and eucalyptus taste
- Sugar free









Cream based on calendula, camomile and lavender, for all minor skin irritations

## Calmiderm<sup>®</sup> crème

#### COMPOSITION

- Tincture of **camomile** 4%, **calendula** 4% and nettle 2%, essential oil of deterpenated **lavender** 0.4%, menthol 0.24%
- Moisturising emulsion

Ingredients: aqua • cetearyl alcohol • alcohol • propylene glycol • chamomilla recutita extract • glycerin • ceteareth-20 • calendula officinalis flower extract • polyacrylamide • urtica urens extract • c13-14 isoparaffin • lavandula angustifolia oil • imidazolidinyl urea • menthol • laureth-7 • sorbic acid • papaver rhoeas flower extract • ascorbic acid • coumarin • geraniol • limonene • linalool.

#### USE

- 3 in 1 : soothes, hydrates and repairs the skin
- Useful for all minor skin irritations, such as: itching, redness, irritations, insect bites, red patches, small areas of sunburn, swelling, scratches

#### **DIRECTION FOR USE**



Adults and children

Apply a thin layer 🖒 and rub in.

No arnica or added fragrances



